SOUTH AUSTRALIA.

See page 1

ANNUAL REPORT

OF THE

REGISTRAR-GENERAL OF BIRTHS, DEATHS, AND MARRIAGES.

1889.

ADELAIDE:
PRINTED BY H. F. LEADER, GOVERNMENT PRINTER, NORTH-TERRACE.

1890.

REPORT

Office of Registrar-General of Births, Death, &c.,
May 31st, 1890.

Sir—I have the honor to submit to you the following report on the births, deaths, and marriages registered in the colony in the year 1889.

POPULATION.

On December 31st, 1889, the estimated population of the province, exclusive of the inhabitants of the Northern Territory and of aborigines, was 319,166, viz., 163,277 males and 155,889 females. This showed an advance of 6,101 on the estimated population of January 1st—an increase which was larger than that of any other year since 1884, and which compared very favorably with the increase of 1888, in which year only 644 persons were added to the population.

The period of four years 1885-88 was an exceptionally bad time with respect to population, owing to the very great excess of emigration over immigration; but in 1889, though unfortunately departures still continued to outnumber arrivals, the difference, 716, was very much less than the difference in any of the four years mentioned.

In this colony the estimates of population for the province are periodically made up in this way:—At the end of every month the difference between the number of immigrants and the number of emigrants during the month is, as the case may require, added to or subtracted from the population at the beginning of the month, and to the number thus obtained is added the month's excess of births registered over deaths registered. At the time of the last census this mode of estimating was found to have worked excellently, the numbers which had resulted from it just immediately before being very near the truth; but whether it has been working equally as well under the altered circumstances which have arisen since then will not be known with certainty until the census is taken next year. It is, however, believed it will be found to have been quite as reliable as any of the modes of calculating used for a similar purpose in the other colonies.

Information respecting arrivals in the colony and departures from it is obtained from returns supplied by the Collector of Customs, the officers of whose department take, it is believed, a considerable amount of trouble in collecting the necessary particulars. There are some slight differences between the year's totals of the monthly returns supplied and the year's totals of the quarterly returns published in the *Government Gazette;* but the following table, compiled from both, shows approximately the distribution as to route of the immigration and emigration in 1889:—

Route.	Inwards.				Outwards.			
	Males over 12 years.	Females over 12 years.	Males under 12 years.	Females under 12 years.	Males over 12 years.	Females over 12 years.	Males under 12 years.	Females under 12 years.
By sea	5,936	2,188	672	454	5,225	2,309	641	561
Viâ Morgan ...	781	172	30	51	564	166	58	45
Viâ Cockburn	10,421	2,583	751	644	10,946	3,311	1,036	869
Viâ Serviceton	14,036	5,659	942	725	13,394	5,973	967	696
	31,174	10,602	2,395	1,874	30,129	11,759	2,702	2,171

The figures in the table show that, while our population gained 1,045 males over 12 years of age, it lost 1,157 females over 12 and also 307 male and 297 female children under that age, the final result being a loss to the colony of 716 persons. If, on the one hand, it is satisfactory to find that an addition of more than a thousand persons over 12 years of age was made to our male population, on the other hand, the departure of so many women and young children cannot but be regarded as a matter of serious moment. For various reasons, often very slight ones, crowds of men leave the colony temporarily with no thought of remaining away; but the same cannot be said of the other sex, and the exodus of so many women and children seems to indicate that a considerable portion of our population has been leaving us with the intention of settling elsewhere. For a good many of those who depart, however, the "elsewhere" is—fortunately for the colony—only a little beyond the border, at Silverton or Broken Hill.

The estimated mean population for the year was 315,402 (160,716 males and 154,686 females), being more by 4,516 than the estimated mean population of the previous year.

Throughout this report and the statistical tables accompanying it, the annual rates of births, deaths, and marriages to population are invariably calculated on the mean populations of the years referred to.

BIRTHS.

Like the two years immediately preceding it, 1889 was a very unfavorable year in reference to births. The births registered numbered only 10,318, being less by 192 than those registered in 1888, and being less also than the number registered in any other year since 1880. The falling off in the number of births in 1889 and the two previous years is, no doubt, to be attributed chiefly to the loss of adults which the population sustained through the excessive emigration already referred to as having commenced in 1885. Fewer married women having been left in the colony, and the number of marriages having decreased owing to the departure of many grown-up young people, the natural consequence to be expected was a considerable reduction in the number of births. But while, in regard to the number of births actually occurring, emigration had this evil effect during the three years, it is feared that in 1889 neglect of registration in the city of Adelaide had a good deal to do with lessening the number of births registered. As in all probably the city is now more populous than ever it has been before, it is reasonable to suppose that there ought not to be any falling off in the number of its births; and yet, in 1889, the births registered in Adelaide were less by 152 than those recorded in the previous year—a difference which nearly makes up the difference for the whole of the province. It should, however, be added that these remarks are only the outcome of an inference suggested by the figures, and that no actual report or information of the supposed neglect has reached this department. Nevertheless, the matter is deemed of such importance that a little later in the year it will be made the subject of a special report to the Government, with a view to the suggestion of such alterations in the law as may make it possible to detect speedily, and deal with any cases of such neglect that may occur.

In 1889, the addition to population from the excess of births over deaths was 6,817, being not only greater by 66 than that of the previous year, but greater than the increase of any preceding year except the four years 1884-87. The birth rate per 1,000 of the mean population was 32·71 against 33·81 in 1888, and was below the birth rate of any other of the last sixteen years. By means of a tabular statement which will be found further on, and the information in which—like all similar information given in this report—has been taken from the latest and most authentic sources, the birth rate of South Australia can be compared with the birth rates of the other Australasian colonies, the different parts of the United Kingdom, and several other countries. It is believed comparisons like that here referred to are very instructive, and that to understand properly the vital statistics of the colony, it is not sufficient merely to note year after year the rise or fall in the numbers appearing in our own returns.

Of the total number of births registered, 5,286 were male births, and 5,032 female, the proportion of the former to 100 of the latter being 105·05. In 1888 the proportion was 109·82, which was unusually high. In England, the mean proportion for the ten years ended with 1887 was 103·8; while the latest "Victorian Year Book" gives 105·32 as the mean proportion for the Australasian colonies taken as a whole, the calculation being based on the returns of the five years ended with 1887. In the first quarter the births registered numbered 2,441; in the second, 2,791; in the third, 2,734; and in the fourth, 2,352. It may be here stated that almost as an invariable rule the births registered in the second and third quarters of a year considerably outnumber those registered in the first and last.

Illegitimate Births.—The births entered in 1889 as illegitimate were only 255, against 281 in the previous year, the percentages of illegitimate to all births registered being for the two years, respectively, 2·47 and 2·67. Latest returns show that in 1889 the percentage in New South Wales was 5·28; in Victoria, 4·92; in Queensland, 4·68; in Tasmania, 4·00; and that, in 1888, the percentage in New Zealand was 3·05; in England, 4·6. As for several years statistics of illegitimate births have been given in the annual reports issued from this office, and as copies of these reports have been regularly forwarded to the Government Statist of Victoria, it is strange that in the very latest issue of the "Victorian Year Book" (as also in the previous issue) it is stated that "All the Australasian colonies, except South Australia and Western Australia, now publish statistics of illegitimacy." Here, however, are given the percentages of illegitimacy in this colony for the nine years ended with 1889:—

1881.....	2·25	1884.....	2·10	1887.....	2·49
1882.....	2·25	1885.....	2·42	1888.....	2·67
1883.....	1·75	1886.....	2·38	1889.....	2·47

For these nine years the mean percentage in South Australia of illegitimate to the total births registered was 2·31; while, according to the "Victorian Year Book," just referred to (1888-9), the mean percentages in the other Australasian colonies and the United Kingdom, calculated in each instance on the returns of many years, were as follows:—New South Wales, 4·29; Victoria, 4·17; Tasmania, 4·15; Queensland, 3·74; New Zealand, 2·43; England and Wales, 4·9; Scotland, 8·5; and Ireland, 2·5.

DEATHS.

The deaths registered in 1889 numbered 3,501, being not only less by 258 than those registered in 1888, but less, also, than the number recorded in any other year since 1877. The deaths of males were 1,966, and of females 1,535, the proportion being 128·08 of the former to 100 of the latter, which was greater by 23·03 than the percentage of male to female births. The death rate per 1,000 of the mean population was 11·10, which was remarkably low, being lower, in fact, than the death rate of any other year for more than twenty years. In the last annual report, it was stated on ample grounds that, in regard to the record of its mortality, 1888 was one of the best years the colony had ever known. A similar statement can now be made, and with even greater reason, respecting 1889, whether the low rate of deaths or the smallness of the actual number registered is considered. Nor is there reason to suspect (as there is in regard to births) that the smallness of the number recorded was in any degree due to neglect of registration, since, for the most part, the registration of deaths is attended to by the undertakers, who make it a part of their business and rarely forget to register. By means of the tabular statement which has already been referred to, and which will be found further on, the death rate of South Australia can be compared with the death rates of the other Australasian colonies, the different parts of the United Kingdom, and several other countries. The deaths of infants under one year of age numbered only 972, against 1,008 in 1888, and were in the proportion of only 94 to 1,000 births registered, which compared very favorably with the corresponding rates of the seven previous years, and not unfavorably with the rates obtaining in the other Australasian colonies and England. From 1882 to 1888, the rates in South Australia, as given in the annual returns, were, respectively, 152, 146, 134, 113, 126, 111, and 96. It is probable, however, that in the returns of the first three of these years the infantile mortality was overstated, owing to the cause indicated and explained in the last annual report. Latest returns show that the proportions in the other colonies were as follows:—In 1889, Victoria, 152; Queensland, 136; New South Wales, 125; Tasmania, 106; Western Australia, 88; and in 1888, New Zealand, 71. On the whole, the colonies stand well in regard to infantile mortality, since, according to the last annual report of the Registrar-General of England, the three lowest proportions known in England since the introduction of registration were, 130 in 1881, 135 in 1879, and 136 in 1888; while the proportion has, in some years, been over 150 or even over 160. Of the whole deaths of the year, 1,063 were registered in the first quarter, 849 in the second, 750 in the the third, and 839 in the fourth.

An examination of the returns from 1872 to 1889 shows that generally the actual mortality of the first or second quarter of a year is the highest, and that of the third quarter the lowest. If, however, the deaths are counted by half-years, it is found that only on three occasions since 1872 has the actual mortality of the second half of a year exceeded that of the first.

The annual death rate per 1,000 of the population was, in the quarter ending

	1884.	1885.	1886.	1887.	1888.	1889.
March ..	18·80	13·00	17·76	15·08	12·21	13·56
June ..	16·96	12·84	13·88	13·36	12·47	10·80
September	13·88	11·20	11·36	10·28	11·80	9·48
December	13·52	14·60	12·88	12·32	11·88	10·56

The following table shows the number of deaths registered in each month of 1889 and the previous year:—

	1888.	1889.		1888.	1889.
January	364	428	July	313	255
February	282	324	August	339	248
March	301	311	September	264	247
April	304	318	October	274	237
May	374	305	November	316	283
June	290	226	December	338	319

Causes of Death.—Arranged in their respective classes and numbers, the causes of death in 1889 and the previous year were as follows:—

	1888.	1889.
Specific febrile or zymotic diseases	550	597
Parasitic diseases	22	18
Dietic diseases	49	52
Constitutional diseases	607	582
Developmental diseases	373	360
Local diseases	1,667	1,452
Violence	234	208
Ill-defined and not specified causes	257	232

It will be seen from this that, comparing the causes of death in the two years by classes, there was in 1889 a decrease in every class except two—the febrile or zymotic class, and the dietic. The trifling advance in the latter was due to an additional death from alcoholism, and some additional deaths from privation. In the febrile or zymotic class, the advance in number was mainly owing to an increase of 82 in the deaths from diarrhœa and dysentery. During the first five and the last two months of the year attacks from these diseases proved fatal in a great many cases, the worst two months being January with 68 deaths, and December with 57. Of the 284 deaths attributed to diarrhœa and dysentery, no less than 234 were deaths of children under two years of age.

Of the decreases, the most noteworthy was the falling off of 215 in the local class. In seven of the ten orders of which this class consists there were reductions, mostly considerable ones, in the number of deaths. There were, for instance, 61 less deaths from nervous diseases, 66 less from circulatory diseases, and 89 less from respiratory diseases.

As very full particulars are given in the accompanying tables respecting the different causes of death specified in them, it is considered necessary to refer specially here to only some of those in the zymotic class, and a few of the other causes.

Scarlet Fever, Measles.—There was only 1 death from scarlet fever, against 3 deaths in 1888; and 1 death from measles, against 1 in 1888. Deaths from these diseases seem to be becoming rare in South Australia, but few having occurred since 1884, in which year, however, the colony suffered severely from both, but especially from measles.

Whooping Cough.—There were only 2 deaths from whooping cough, against 9 in 1888 and 30 in 1887. This was the lowest number recorded in any year since 1875.

Enteric Fever.—The deaths from enteric or typhoid fever numbered 128 (66 males and 62 females), being more by 20 than those registered in 1888, but less by 15 than the number recorded in 1887. The death rate from this disease, per 1,000 of the mean population, was 0·41, against 0·35 in the previous year. From 1880 to 1887, the rates were respectively, 0·24, 0·3, 0·49, 0·44, 0·44, 0·41, 0·30, 0·46. In England, the proportion in 1888 was only 0·17; while the mean annual rate for the eight years ended with 1888 was only 0·20. According to the "Victorian Year Book," if deaths from simple and ill-defined fevers are counted along with those from enteric fever, the mean annual rates for the Australasian colonies for the fifteen years 1873-87 were, New Zealand, 0·38; Tasmania, 0·38; South Australia, 0·41; New South Wales, 0·52; Victoria, 0·53; and Queensland, 0·80. As the inclusion of the mortality from simple and ill-defined fevers cannot have augmented the rates very much, it would seem that, in reference to enteric fever, the colonies compare unfavorably with England. All the enteric fever deaths, except 5, were recorded in the first seven months of the year, the worst months being January with 19, and April with 32. Only 12 of the deaths were of children under 5 years of age, and only 6 were of persons over 45. As many of the deaths from this disease occurred in public hospitals, and were of persons who had come from a distance—in some cases even from beyond the limits of the colony—and as many others were of persons who had returned ill to their homes from various directions, it would serve no useful purpose to give a minute detail of the local distribution of the deaths. In addition, however, to the particulars in this respect given in the accompanying returns, it may be stated that 54 of the deaths occurred in the four districts forming "Adelaide and suburbs" (that is, Adelaide, Norwood, Hindmarsh, and Port Adelaide), 8 in the districts south of Adelaide district, and the remaining 66 in the other parts of the colony. The most noteworthy thing in this distribution is that, precisely as happened in the previous year and almost as happened in 1887, only 8 of the deaths were registered in all that portion of the colony which lies south of the district of Adelaide.

Diphtheria.—The deaths from diphtheria numbered 109 (51 males and 58 females), being less by 20 than the number recorded in 1888. The proportion of deaths from this disease per 1,000 of the mean population was 0·35, against 0·45 in the previous year. Just as happened in 1888, diphtheria continued to claim its victims throughout the entire year, the worst months being May and July, with 15 deaths each. Only 7 of the deaths from this disease were of persons over 10 years of age. 74 of the deaths were registered in the four districts forming Adelaide and suburbs, 2 in the districts south of the Adelaide district, and the remaining 33 in the other parts of the colony. As in the case of enteric fever, it is remarkable how few of the deaths from diphtheria —only 2 occurred in the southern districts, while in the previous year only 6 such deaths were recorded in those districts.

Phthisis.—The deaths from phthisis in 1889 were 289 (166 males and 123 females), being not only less by 76 than those registered in 1888, but less also than the number recorded in any year since 1881. The proportion of deaths from this disease per 1,000 of the mean population was 0·92, against 1·17 in the previous year; while, of the total deaths from all causes, 8·25 per cent. were attributed to phthisis. In England, according to the latest returns, the death rate from phthisis per 1,000 of the mean population was 1·54 in 1888. Latest returns also show that in the same year it was 1·44 in Victoria. The mortality from this disease was very evenly distributed over the year; the worst months, however, being March with 34 deaths, July with 32, and October with 30. In deaths from the other tubercular diseases there were slight increases in number in 1889, viz, 3 more deaths from tabes mesenterica, 3 more from tubercular meningitis, and 13 more from other forms of tuberculosis.

Phthisis being always, year after year, one of the most destructive diseases, it is thought useful to append the following comparative statement showing the proportions of mortality from this disease in the Australasian colonies and England. The statement is taken from the last annual report of the Registrar-General of New Zealand, and is given here as it stands in the report, except that, for the sake of uniformity, the rates have been altered in form so as to be per 1,000 of the mean population instead of per 10,000.

New Zealand	1887	·89	1888	·79
Queensland	1886	1·49	1888	1·27
New South Wales	1887	·96	1888	·98
Victoria	1887	1·53	1888	1·44
South Australia	1887	1·14	1888	1·17
West Australia	1887	1·12	1888	1·00
Tasmania	1887	1·10	1888	·80
England	1886	1·72	1887	1·59

Cancer.—In 1889, the deaths from cancer numbered 133 (67 males and 66 females), being not only more by 17 than those resistered in 1888, but being the greatest number ever recorded in one year. The death rate from this disease per 1,000 of the mean population was 0·42, against 0·37 in the previous year. In England, according to the latest report of the Registrar General, the rate in 1888 was 0·61; while the published returns of the Government Statist of Victoria show that in 1888 the rate in that colony was 0·49.

All the deaths from cancer, except 7, were of persons over 30 years years of age. In the seventeen years, 1873-89, the deaths from this disease numbered 1,422 (698 males and 724 females).

ADELAIDE AND SUBURBS.

As explained in the last annual report, by Adelaide and suburbs is meant an area consisting of the four registration districts of Adelaide, Norwood, Hindmarsh, and Port Adelaide. Within this area there are, in addition to the city of Adelaide, nine corporate towns, and many other towns and villages. The estimated population of Adelaide and suburbs on December 31st, 1889, was 121,735 (62,276 males and 59,459 females). The estimated mean population for the year was 120,353. The births registered during the year numbered 4,239 (2,188 males and 2,051 females), being 132 less than those recorded in the previous year. The birth rate per 1,000 of the mean population was 35·22, which was higher by 2·51 than that of the whole colony, and higher by 11·37 than the birth rate of the city of Adelaide taken by itself.

For comparison, the birth rates of the capital cities and suburbs of the colonies and of some other capitals are here given. The figures for the European cities are taken from the returns of the Registrar-General of England, while those for the colonial capitals, except Brisbane and Wellington, are extracted from special returns which, on application, were supplied to this office by the statistical authorities of the different colonies. The figures for Brisbane and Wellington are given on the authority of a return recently published by the Government Statistician of New South Wales:—

Brisbane	1889	46·08	Vienna	1888	33·4
Melbourne	1889	38·04	Berlin	1888	33·4
Sydney	1889	35·66	Greater London	1888	31·1
Adelaide	1889	35·22	Brussels	1888	28·9
Wellington	1889	30·54	Edinburgh	1888	28·5
Hobart	1889	30·08	Dublin	1888	28·1
			Paris	1888	27·0

The deaths registered in Adelaide and suburbs in 1889 numbered 1,856 (1,015 males, and 841 females), being less by 138 than those recorded in the previous year. The death rate per 1,000 of mean population was 15·42, which was higher by 4·32 than that of the whole province, but lower by 3·21 than the death rate of the city of Adelaide taken by itself, that is, the city death rate, including all deaths in public institutions. As in the case of births, for the purpose of comparison, the death rates of the capital cities and suburbs of the colonies and of some other capitals are here given:—

Melbourne	1889	23·39	Dublin	1888	25·3
Hobart	1889	19·95	Vienna	1888	25·1
Brisbane	1889	18·28	Paris	1888	22·6
Sydney	1889	16·94	Brussels	1888	21·1
Adelaide	1889	15·42	Berlin	1888	20·3
Wellington	1889	12·61	Edinburgh	1888	18·0
			Greater London	1888	17·8

CITY OF ADELAIDE.

In addition to the very full statistics respecting the city and its wards given in the accompanying tables 11, 12, 13, and 14, it may be stated that the estimated population of Adelaide on December 31st, 1889, was 44,581 against 43,750 on the last day of the previous year. The statistical authorities of the different colonies do not agree as to how far births and deaths occurring in public institutions, such as hospitals, asylums, gaols, &c., should be included, or whether any of them at all should be included in the calculation of the birth and death rates of cities and other large towns. It has required some little care, therefore, to extract or deduce the following few figures from recent returns. The figures show the rates of births and deaths (including those in public institutions) per 1,000 of mean population, in the cities and other towns named.

		Births.	Deaths.
Adelaide	1889	23·85	18·63
Sydney	1889	27·70	16·53
Hobart	1889	—	17·60
Launceston	1889	—	25·61
Wellington	1889	30·28	12·45
Auckland	1889	26·31	9·49
Dunedin	1889	23·60	10·90
London	1888	30·7	18·5

CORPORATE TOWNS.

In table 11, accompanying this report, will be found the usual statistics with respect to the births, deaths, and populations of twenty-three corporate towns, including the city of Adelaide. In the last annual report it was stated, in reference to a similar table which was then given, that no very great reliance could be placed on the figures appearing in it, owing to the difficulty there had been of discerning with certainty from the registration entries what births and what deaths had really occurred within the boundaries of any particular town, and also because it had been found impossible to arrive at satisfactory estimates of the local populations. As far as the figures showing the different numbers of births and deaths are concerned, the present table 11 may be considered as nearly correct as possible, since, in order to ensure accuracy in this respect, everything has been done since the early part of last year that care on the part of the outside registrars and the clerks in this office could accomplish. But the estimates of local populations must still be regarded as more or less problematical, though it is believed that, in consequence of a careful revision, those appearing in the present table approach more nearly to the truth than the estimates given in the table which accompanied the last annual report.

MARRIAGES.

Although for some years the births, deaths, and population of the Northern Territory have been excluded from consideration in the reports and returns prepared in this office, a different course has been pursued with respect to marriages. The Northern Territory marriages, which, however, were only few, have always heretofore been counted along with the others, as if they had been celebrated in South Australia

proper. This inaccuracy is avoided in the present report and returns as far as 1889 is concerned; but owing to the smallness of the error involved, it has not been considered necessary, even if it had been practicable, to correct the back figures in the decennial and other tables. The marriages celebrated in 1889 numbered 2,062, being less by 11 than those recorded in the previous year, but considerably more than the number celebrated in either 1887 or 1886—that is, excluding in all cases the Northern Territory marriages.

The marriage rate for the year (that is, the rate of marriages, not of persons married) was 6·54 per 1,000 of the mean population, which was slightly less than the rate of 1888, but a little higher than the rates of 1887 and 1886. On the whole, 1889 was not an unfavorable year with respect to marriages, though it cannot be said that it was a very favorable one. The marriages in the first quarter numbered 516; in the second, 521; in the third, 479; and in the fourth, 546.

Table 17, accompanying this report, gives detailed information as to the ages of the persons married, and shows how many of them were bachelors or widowers, spinsters or widows, and how many were unable to write their names.

The number of marriages celebrated during the year according to the ceremonies of each religious denomination, and the number of civil marriages, are shown in the following statement:—

Wesleyans	409	New Jerusalem Church	96
Church of England	398	Presbyterians	78
Roman Catholics	195	Church of Christ	57
Primitive Methodist	164	Salvation Army	9
Bible Christians	136	Methodist New Connexion	6
Congregationalists	136	Christian Brethren	4
Baptists	131	Moravian	3
Lutherans	125	Free Church of Scotland	2
Registrar-General, Deputy Registrar, and District Registrars	109	Jews	2
		Welsh Free Church	1
		Friends	1

The following table shows the rate of persons married per 1,000 of the mean population, and the value of the exports per head of population, in each year from 1878 to 1889:—

	Rate of Persons Married.	Exports per head of Population. £	s.	d.
1878	18·94	22	1	1
1879	17·54	18	13	4
1880	17·32	21	1	8
1881	16·62	15	5	6
1882	17·74	18	2	2
1883	17·28	16	0	5
1884	16·84	21	1	6
1885	15·86	16	19	1
1886	12·94	14	3	9
1887	12·80	17	5	2
1888	13·40	22	9	3
1889	13·08	23	0	4

GENERAL RESULTS OF YEAR.

Viewed as a whole, 1889 was rather a favorable year with respect to population—that is, as compared with the four preceding years; it was not unfavorable (which is the most that can be said) in regard to the celebration of marriages; it was undoubtedly a very unproductive year in reference to births; but in regard to its record of mortality it was, like 1888, one of the best years the colony has ever known.

COMPARATIVE STATISTICS.

The following tabular statement shows the rate of births, deaths, and marriages per 1,000 of mean populatian in the Australasian colonies, the different parts of the United Kingdom, and several other countries. The figures in the first seven lines have been taken from the returns of the statistical authorities of the different colonies named—for the most part from returns which, on application, were specially supplied to this office. The remainder of the figures have been extracted from the returns of the Registrar-General of England, who obtains his information respecting other countries from the several official authorities of those countries.

		Births.	Deaths.	Marriages.
South Australia	1889	32·71	11·10	6·54
Victoria	1889	32·92	17·56	8·33
New South Wales	1889	33·73	13·43	6·76
Queensland	1889	36·26	15·44	7·87
Western Australia	1889	37·14	14·24	6·99
Tasmania	1889	31·97	14·10	6·50
New Zealand	1889	30·07	9.40	5·91
United Kingdom (as a whole)	1888	29·6	17·8	6·6
England and Wales	1888	30·6	17·8	7·1
Ireland	1888	22·9	18·0	4·2
Scotland	1888	30·5	17·6	6·2
France	1888	23·1	21·8	7·2
The German Empire	1888	36·7	23·8	7·8
Prussia separately	1888	37·7	23·0	8·0
Italy	1888	36·6	26·8	7·8
Switzerland	1888	27·7	19·9	7·0
The Netherlands	1888	33·7	20·4	6·9
Norway	1888	30·8	16·9	6·1
Sweden	1887	29·7	16·1	6·2
Hungary	1887	43·9	33·5	8·9

The rates for other European countries (Austria, Spain, &c.) have not been given in this table, because they are not calculated on mean populations. It will be seen that in the comparative statement as it stands South Australia shows the tenth highest birth rate, the fourteenth highest marriage rate, and the second lowest death rate. If, however, the seven Australasian colonies alone are considered, South Australia shows the fifth highest birth rate, the fifth highest marriage rate, and the second lowest death rate.

These comparisons may, perhaps, be a little misleading, as this colony's rates for 1889 were to some extent exceptional. The mean annual rates, therefore, for South Australia, for the five years ended with 1889, are here given:—

Births.	Deaths.	Marriages.
35·44	12·55	6·81

I have, &c.,
G. H. AYLIFFE, Registrar-General.

The Hon. the Chief Secretary.

No. 1.—Return showing the Number of BIRTHS *and* DEATHS *registered in each Quarter of the Year* 1889, *and the Excess of* BIRTHS *over* DEATHS

	Registered during Year.			Quarter.											
				March.			June.			September.			December.		
	Total.	Males.	Females	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.
Births	10,318	5,286	5,032	2,441	1,248	1,193	2,791	1,435	1,356	2,734	1,405	1,329	2,352	1,198	1,154
Deaths	3,501	1,966	1,535	1,063	586	477	849	498	351	750	408	342	839	474	365
Excess of Births over Deaths	6,817	3,320	3,497	1,378	662	716	1,942	937	1,005	1,984	997	987	1,513	724	789

No. 2.—*Decennial Return showing the Number of* BIRTHS *registered in the Province in each Year; also showing the Number registered in each Quarter, and Excess of Births over Deaths in each Year.*

Year.	Registered during Year.			Registered in the Quarter ended on the last day of—					
				March.			June.		
	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.
1880	10,262	5,398	4,864	2,308	1,223	1,085	2,831	1,519	1,312
1881	10,708	5,522	5,186	2,585	1,331	1,254	2,689	1,403	1,286
1882	10,844	5,589	5,255	2,541	1,285	1,256	2,807	1,460	1,347
1883	11,173	5,677	5,496	2,501	1,274	1,227	2,989	1,521	1,468
1884	11,847	6,051	5,796	2,767	1,439	1,328	3,140	1,571	1,569
1885	12,046	6,070	5,976	2,822	1,410	1,412	3,101	1,568	1,533
1886	11,177	5,711	5,466	2,796	1,491	1,305	2,952	1,503	1,449
1887	10,831	5,666	5,165	2,608	1,357	1,251	2,836	1,540	1,296
1888	10,510	5,501	5,009	2,580	1,354	1,226	2,791	1,420	1,371
1889	10,318	5,286	5,032	2,441	1,248	1,193	2,791	1,435	1,356

Year.	Registered in the Quarter ended on the last day of—						Number of Deaths.	Excess of Births over Deaths.
	September.			December.				
	Total.	Males.	Females.	Total.	Males.	Females.		
1880	2,824	1,468	1,356	2,299	1,188	1,111	3,912	6,350
1881	2,848	1,477	1,371	2,586	1,291	1,295	4,012	6,696
1882	2,967	1,570	1,397	2,529	1,274	1,255	4,393	6,451
1883	3,011	1,550	1,461	2,672	1,332	1,340	4,435	6,738
1884	3,095	1,584	1,511	2,845	1,457	1,388	4,789	7,058
1885	3,231	1,646	1,585	2,892	1,446	1,446	3,987	8,059
1886	2,868	1,439	1,429	2,561	1,278	1,283	4,234	6,943
1887	2,924	1,517	1,407	2,463	1,252	1,211	3,944	6,887
1888	2,723	1,472	1,251	2,416	1,255	1,161	3,759	6,751
1889	2,734	1,405	1,329	2,352	1,198	1,154	3,501	6,817

No. 3.—*Decennial Return showing the Number of* DEATHS *registered in the Province in each Year; also showing the Number registered in each Quarter, and Excess of Births over Deaths in each Year.*

Year	Registered during Year.			Registered in the Quarter ended on the last day of—					
				March.			June.		
	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males	Females.
1880	3,912	2,207	1,705	1,097	579	518	1,005	602	403
1881	4,012	2,223	1,789	1,150	623	527	1,097	600	497
1882	4,393	2,430	1,963	1,363	778	585	1,133	618	515
1883	4,435	2,444	1,991	1,165	612	553	1,110	599	511
1884	4,789	2,638	2,151	1,415	751	664	1,282	707	575
1885	3,987	2,205	1,782	1,000	587	413	990	543	447
1886	4,234	2,349	1,885	1,368	738	630	1,064	588	476
1887	3,944	2,239	1,705	1,162	641	521	1,028	594	434
1888	3,759	2,126	1,633	947	546	401	968	541	427
1889	3,501	1,966	1,535	1,063	586	477	849	498	351

Year.	Registered in the Quarter ended on the last day of—						Number of Births.	Excess of Births over Deaths.
	September.			December.				
	Total.	Males.	Females.	Total.	Males.	Females.		
1880	951	536	415	859	490	369	10,262	6,350
1881	831	485	346	934	515	419	10,708	6,696
1882	844	467	377	1,053	567	486	10,844	6,451
1883	918	535	383	1,242	698	544	11,173	6,738
1884	1,057	581	476	1,035	599	436	11,847	7,058
1885	867	477	390	1,130	598	532	12,046	8,059
1886	814	468	346	988	555	433	11,177	6,943
1887	795	451	344	959	553	406	10,831	6,887
1888	916	543	373	928	496	432	10,510	6,751
1889	750	408	342	839	474	365	10,318	6,817

No. 4.—*Decennial Return showing the Number of* DEATHS *in the Province in each Month.*

Month.	1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.
January	365	392	461	436	493	317	555	452	364	428
February	363	370	428	345	429	314	388	324	282	324
March	369	388	474	384	493	369	425	386	301	311
April	392	377	405	416	506	306	378	399	304	318
May	337	369	403	380	429	334	374	317	374	305
June	276	351	325	314	347	350	312	312	290	226
July	367	299	323	304	359	336	311	276	313	255
August	333	284	274	329	385	274	245	266	339	248
September	251	248	247	285	313	257	258	253	264	247
October	219	258	262	311	301	279	255	246	274	237
November	276	301	375	477	323	382	309	330	316	283
December	364	375	416	454	411	469	424	383	338	319
Total	3,912	4,012	4,393	4,435	4,789	3,987	4,234	3,944	3,759	3,501

No. 5.—*Decennial Return showing the Number of* DEATHS *in the Province at different periods of Age.*

Years.	Age.																							
	Under 1 year.			1 and under 20.			20 and under 40			40 and under 60.			60 and under 80.			80 and above.			Age unknown.			Totals.		
	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.
1880	790	603	1,393	450	453	903	336	254	590	339	170	509	251	191	442	40	34	74	1	—	1	2,207	1,705	3,912
1881	746	618	1,364	459	430	889	316	304	620	348	234	582	300	176	476	51	27	78	3	—	3	2,223	1,789	4,012
1882	870	777	1,647	455	408	863	386	302	688	364	218	582	297	219	516	52	39	91	6	—	6	2,430	1,963	4,393
1883	884	743	1,627	456	464	920	363	294	657	358	228	586	337	222	559	42	40	82	4	—	4	2,444	1,991	4,435
1884	850	740	1,590	582	569	1,151	422	323	745	362	222	584	362	238	600	57	59	116	3	—	3	2,638	2,151	4,789
1885	732	634	1,366	422	362	784	325	283	608	336	195	531	325	250	575	64	58	122	1	—	1	2,205	1,782	3,987
1886	766	643	1,409	421	346	767	370	321	691	351	253	604	360	261	621	75	61	136	6	—	6	2,349	1,885	4,234
1887	651	553	1,204	366	357	723	382	299	681	377	187	564	378	222	600	83	86	169	2	1	3	2,239	1,705	3,944
1888	586	422	1,008	387	353	740	353	273	626	345	252	597	368	264	632	79	69	148	8	—	8	2,126	1,633	3,759
1889	541	431	972	376	306	682	289	256	545	302	223	525	378	240	618	77	78	155	3	1	4	1,966	1,535	3,501

No. 6.—*Decennial Return showing the Number of* MARRIAGES *in the Province in the Quarters of the Years—*

	1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.
Quarter ended March 31	667	600	605	691	647	614	548	518	485	516
June 30	534	555	631	639	651	660	517	446	566	521
September 30	525	544	617	588	612	564	440	478	484	479
December 31	565	609	677	621	645	609	471	535	549	546
Total	2,291	2,308	2,530	2,539	2,555	2,447	1,976	1,977	2,084	2,062

No. 7.—*Decennial Return showing the proportion of* BIRTHS, MARRIAGES, *and* DEATHS *in the Province to the estimated Mean Population.*

Year.	Proportion to every Thousand of the Population of—		
	Births.	Marriages.	Deaths.
1880	38·81	8·66	14·79
1881	38·56	8·31	14·45
1882	38·02	8·87	15·41
1883	38·01	8·64	15·09
1884	39·04	8·42	15·78
1885	39·03	7·93	12·92
1886	36·58	6·47	13·86
1887	35·07	6·40	12·77
1888	33·81	6·70	12·09
1889	32·71	6·54	11·10

No. 8.—*Return showing the Causes of* Deaths *at different Periods of Life in the Province in the Year* 1889.

Class.	Cause of Death	Males. Ages at Death. All Ages.	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not Stated
	ALL CAUSES	1,966	541	118	41	29	25	69	39	55	74	66	69	80	53	90	72	87	98	102	111	67	49	23	4	1	3
I.	SPECIFIC FEBRILE OR ZYMOTIC DISEASES	316	122	34	16	13	8	26	9	12	17	9	8	8	4	3	4	5	7	3	4	3	1	—	—	—	—
II.	PARASITIC DISEASES	8	2	1	—	—	—	1	—	—	1	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
III.	DIETIC DISEASES	34	18	1	—	—	—	—	—	—	2	—	—	3	2	2	3	2	1	—	—	—	—	—	—	—	—
IV.	CONSTITUTIONAL DISEASES	328	33	15	2	1	—	6	4	19	27	29	29	25	20	25	19	14	20	20	10	5	3	—	—	—	2
V.	DEVELOPMENTAL DISEASES	192	57	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	4	18	33	28	32	13	4	1	—
VI.	LOCAL DISEASES	864	193	59	20	11	12	21	14	9	15	17	18	32	22	49	38	56	58	54	60	26	10	10	—	—	—
VII.	VIOLENCE	162	10	6	3	4	5	13	11	14	12	10	14	11	4	9	7	10	6	4	2	3	3	—	—	—	1
VIII.	ILL-DEFINED AND NOT SPECIFIED CAUSES	122	106	1	—	—	—	1	1	1	—	—	—	1	1	1	1	—	1	3	2	2	—	—	—	—	—
I.	1. MIASMATIC DISEASES	126	5	5	14	11	8	23	7	11	17	9	6	7	1	1	—	—	1	—	—	—	—	—	—	—	—
	2. DIARRHŒAL DISEASES	173	113	28	2	2	—	2	1	1	—	—	1	—	2	—	3	5	5	2	2	3	1	—	—	—	—
	3. MALARIAL DISEASES	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. ZOOGENOUS DISEASES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. VENEREAL DISEASES	7	2	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	1	1	—	—	—	—	—	—
	6. SEPTIC DISEASES	9	2	1	—	—	—	—	1	—	—	—	1	1	—	1	—	—	1	—	1	—	—	—	—	—	—
II.	PARASITIC DISEASES	8	2	1	—	—	—	1	—	—	1	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
III.	DIETIC DISEASES	34	18	1	—	—	—	—	—	—	2	—	—	3	2	2	3	2	1	—	—	—	—	—	—	—	—
IV.	CONSTITUTIONAL DISEASES	328	33	15	2	1	—	6	4	19	27	29	29	25	20	25	19	14	20	20	10	5	3	—	—	—	2
V.	DEVELOPMENTAL DISEASES	192	57	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	4	18	33	28	32	13	4	1	—
VI.	1. DISEASES OF NERVOUS SYSTEM	220	56	15	5	2	3	7	5	2	1	5	4	10	7	10	8	15	18	19	15	8	3	2	—	—	—
	2. DISEASES OF ORGANS OF SPECIAL SENSE	2	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. DISEASES OF CIRCULATORY SYSTEM	126	2	—	—	—	1	1	1	3	3	1	7	7	6	14	4	19	13	15	19	6	1	3	—	—	—
	4. DISEASES OF RESPIRATORY SYSTEM	212	64	23	12	7	7	7	3	2	4	4	3	5	2	11	9	10	12	7	10	5	2	3	—	—	—
	5. DISEASES OF DIGESTIVE SYSTEM	173	69	19	3	2	—	5	4	2	2	5	—	3	6	10	10	7	6	6	7	3	2	2	—	—	—
	6. DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS	6	—	—	—	—	—	—	—	—	—	—	—	1	—	—	2	—	1	1	1	—	—	—	—	—	—
	7. DISEASES OF URINARY SYSTEM	54	—	—	—	—	—	—	—	—	2	2	4	6	1	3	4	5	8	6	8	3	2	—	—	—	—
	8. DISEASES OF REPRODUCTIVE SYSTEM—																										
	(a) DISEASES OF ORGANS OF GENERATION	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	(b) DISEASES OF PARTURITION	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	9. DISEASES OF ORGANS OF LOCOMOTION	7	—	—	—	—	—	1	1	—	3	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—
	10. DISEASES OF INTEGUMENTARY SYSTEM	4	1	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
VII.	1. ACCIDENT OR NEGLIGENCE	145	10	6	3	4	5	13	11	14	11	7	12	9	2	7	6	9	5	3	2	3	2	—	—	—	1
	2. HOMICIDE	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. SUICIDE	17	—	—	—	—	—	—	—	—	1	3	2	2	2	2	1	1	1	1	—	—	1	—	—	—	—
	4. EXECUTION	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII.	ILL-DEFINED AND NOT SPECIFIED CAUSES	122	106	1	—	—	—	1	1	1	—	—	—	1	1	1	1	—	1	3	2	2	—	—	—	—	—
I.	*Miasmatic Diseases.*																										
	Smallpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Chicken-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Epidemic Rose Rash	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Scarlet Fever	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Influenza	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Whooping Cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Mumps	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diphtheria	51	1	4	11	9	5	19	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cerebro-spinal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Simple and Ill-defined Fever	6	—	—	—	1	1	—	—	1	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	Enteric Fever	66	2	1	2	1	2	4	5	10	15	9	6	6	1	1	—	—	1	—	—	—	—	—	—	—	—
	Diarrhœal Diseases.																										
	Simple Cholera	12	5	2	—	—	—	1	—	—	—	—	—	—	—	—	2	1	—	—	—	—	1	—	—	—	—
	Diarrhœa, Dysentery	161	108	26	2	2	—	1	1	1	—	—	1	—	2	—	1	4	5	2	2	3	—	—	—	—	—
	Malarial Diseases.																										
	Remittent Fever	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

No. 8.—*Return showing the Causes of* Deaths *at different Periods of Life in the Province in the Year* 1889—continued.

Class.	Cause of Death.	Females. Ages at Death. All Ages.	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not Stated
	ALL CAUSES	1,535	431	96	33	25	20	48	30	54	61	82	61	52	49	45	62	67	53	58	68	61	41	27	10	—	1
I.	SPECIFIC FEBRILE OR ZYMOTIC DISEASES	281	99	25	13	9	11	28	12	16	15	14	7	7	2	3	3	2	3	4	4	—	2	1	1	—	—
II.	PARASITIC DISEASES	10	4	—	—	—	—	—	—	—	1	3	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
III.	DIETIC DISEASES	18	14	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—
IV.	CONSTITUTIONAL DISEASES	254	19	8	3	—	2	5	6	16	22	28	24	15	18	15	24	16	10	10	5	7	1	—	—	—	—
V.	DEVELOPMENTAL DISEASES	168	44	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	5	7	23	32	27	20	9	—	—
VI.	LOCAL DISEASES	648	151	52	15	13	6	12	11	18	21	30	27	29	26	25	32	45	32	32	32	21	11	6	—	—	1
VII.	VIOLENCE	46	11	3	—	3	—	3	1	4	2	6	2	—	1	1	1	1	—	3	3	1	—	—	—	—	—
VIII.	ILL-DEFINED AND NOT SPECIFIED CAUSES	110	89	7	2	—	1	—	—	—	—	1	—	—	1	1	1	2	2	2	1	—	—	—	—	—	—
I.	1. MIASMATIC DISEASES	127	7	4	10	9	11	26	10	16	14	10	2	3	1	2	1	1	—	—	—	—	—	—	—	—	—
	2. DIARRHŒAL DISEASES	133	88	19	2	—	—	1	2	—	—	—	2	2	—	—	2	1	3	4	3	—	2	1	1	—	—
	3. MALARIAL DISEASES	3	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. ZOOGENOUS DISEASES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. VENEREAL DISEASES	4	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. SEPTIC DISEASES	14	1	—	—	—	—	—	—	—	1	4	3	2	1	1	—	—	—	—	1	—	—	—	—	—	—
II.	PARASITIC DISEASES	10	4	—	—	—	—	—	—	—	1	3	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
III.	DIETIC DISEASES	18	14	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—
IV.	CONSTITUTIONAL DISEASES	254	19	8	3	—	2	5	6	16	22	28	24	15	18	15	24	16	10	10	5	7	1	—	—	—	—
V.	DEVELOPMENTAL DISEASES	168	44	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	5	7	23	32	27	20	9	—	—
VI.	1. DISEASES OF NERVOUS SYSTEM	152	51	7	4	4	1	2	2	7	4	3	3	4	4	4	11	11	6	5	10	3	5	1	—	—	—
	2. DISEASES OF ORGANS OF SPECIAL SENSE	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. DISEASES OF CIRCULATORY SYSTEM	104	2	—	—	—	—	3	6	2	1	5	5	5	7	6	7	16	7	11	8	9	2	2	—	—	—
	4. DISEASES OF RESPIRATORY SYSTEM	161	43	23	7	9	5	5	1	3	5	3	5	5	2	8	4	5	8	9	3	4	2	2	—	—	—
	5. DISEASES OF DIGESTIVE SYSTEM	153	55	22	4	—	—	2	—	1	2	5	6	5	6	5	6	8	9	5	7	3	1	—	—	—	1
	6. DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS	2	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. DISEASES OF URINARY SYSTEM	27	—	—	—	—	—	—	—	1	2	3	—	4	4	2	3	1	1	1	3	1	1	—	—	—	—
	8. DISEASES OF REPRODUCTIVE SYSTEM—																										
	(a) DISEASES OF ORGANS OF GENERATION	17	—	—	—	—	—	—	—	—	2	4	2	2	3	—	1	2	1	—	—	—	—	—	—	—	—
	(b) DISEASES OF PARTURITION	21	—	—	—	—	—	—	—	2	4	6	5	4	—	—	—	—	—	—	—	—	—	—	—	—	—
	9. DISEASES OF ORGANS OF LOCOMOTION	6	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	10. DISEASES OF INTEGUMENTARY SYSTEM	5	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	1	1	1	—	—	—	—	—
VII.	1. ACCIDENT OR NEGLIGENCE	42	11	3	—	3	—	3	1	4	2	4	1	—	1	1	1	1	—	3	2	1	—	—	—	—	—
	2. HOMICIDE	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. SUICIDE	4	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	4. EXECUTION	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII.	ILL-DEFINED AND NOT SPECIFIED CAUSES	110	89	7	2	—	1	—	—	—	—	1	—	—	1	1	1	2	2	2	1	—	—	—	—	—	—
I.	*Miasmatic Diseases.*																										
	Smallpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Chicken-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Measles	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Epidemic Rose Rash	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Scarlet Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Influenza	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Whooping Cough	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Mumps	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diphtheria	58	3	3	9	9	9	20	4	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cerebro-spinal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Simple and Ill-defined Fever	3	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Enteric Fever	62	2	—	—	—	2	5	5	15	13	10	2	3	1	2	1	1	—	—	—	—	—	—	—	—	—
	Diarrhœal Diseases.																										
	Simple Cholera	10	7	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—	—
	Diarrhœa, Dysentery	123	81	19	2	—	—	1	2	—	—	—	1	2	—	—	1	1	3	4	2	—	2	1	1	—	—
	Malarial Diseases.																										
	Remittent Fever	3	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

No. 8.—*Return showing the Causes of* Deaths *at different Periods of Life in the Province in the Year* 1889—continued.

Class.	Cause of Death.	Males. Ages at Death. All Ages.	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not Stated
	Zoogenous Diseases.																										
	Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Splenic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cowpox and other Effects of Vaccination	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Venereal Diseases.																										
	Syphilis	3	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Gonorrhœa, Stricture of Urethra	4	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	1	1	—	—	—	—	—	—
	Septic Diseases.																										
	Phagedæna	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Erysipelas	6	1	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	1	—	1	—	—	—	—	—	—
	Pyæmia, Septicæmia	3	1	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	*Parasitic Diseases.*																										
	Thrush	3	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases from Vegetable Parasites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hydatid Disease	5	—	—	—	—	—	1	—	—	1	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
	Other Diseases from Animal Parasites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
III.	*Dietic Diseases.*																										
	Starvation, Want of Breast Milk	24	18	1	—	—	—	—	—	—	2	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—
	Scurvy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Intemperance { Chronic Alcoholism	10	—	—	—	—	—	—	—	—	—	—	—	3	2	1	3	1	—	—	—	—	—	—	—	—	—
	Intemperance { Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
IV.	*Constitutional Diseases.*																										
	Rheumatic Fever, Rheumatism of Heart	7	—	—	—	—	—	—	—	—	—	1	—	1	—	2	1	—	2	—	—	—	—	—	—	—	—
	Rheumatism	6	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	1	1	—	1	—	—	—	—	—
	Gout	4	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	1	—	—	1	—	—	—	—
	Rickets	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cancer, Malignant Disease	67	—	—	—	—	—	—	—	2	2	1	1	5	2	4	8	9	13	9	5	4	2	—	—	—	—
	Tabes Mesenterica	15	11	3	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Tubercular Meningitis (Acute Hydrocephalus)	25	8	9	1	1	—	4	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	Phthisis	166	1	—	1	—	—	1	2	14	24	22	25	15	17	16	8	5	4	6	3	—	—	—	—	—	2
	Other forms of Tuberculosis, Scrofula	19	5	1	—	—	—	1	2	2	—	4	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	Purpura, Hæmorrhagic Diathesis	3	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	Anæmia, Chlorosis, Leucocythæmia	10	7	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
	Diabetes Mellitus	5	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	2	1	—	—	—	—	—	—
	Other Constitutional Diseases	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
V.	*Developmental Diseases.*																										
	Premature Birth	44	44	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Atelectasis	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cyanosis	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Imperforate Anus	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cleft Palate, Harelip	3	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Congenital Defects	7	6	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Old Age	133	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	18	33	28	32	13	4	1	—
VI.	*Diseases of Nervous System.*																										
	Inflammation of Brain or its Membranes	34	13	5	3	—	2	4	3	1	—	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	Apoplexy	42	1	—	—	—	—	1	—	—	—	—	1	2	1	1	3	5	8	8	7	1	1	2	—	—	—
	Softening of Brain	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	3	—	1	—	—	—	—	—
	Hemiplegia, Brain Paralysis	11	—	—	—	—	—	—	—	—	—	—	—	1	1	—	1	1	1	3	2	1	—	—	—	—	—
	Paralysis Undefined	19	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	2	4	2	4	5	—	—	—	—	—
	Paralysis Agitans	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Insanity, General Paralysis of Insane	26	—	—	—	—	—	—	—	—	—	2	—	4	4	5	1	3	1	3	2	—	1	—	—	—	—
	Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Epilepsy	3	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Convulsions	48	34	9	1	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Laryngismus Stridulus	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Idiopathic Tetanus	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Paraplegia, Disease of Spinal Cord	11	—	—	—	—	—	1	1	—	—	—	—	2	1	1	1	1	3	—	—	—	—	—	—	—	—

No. 8.—*Return showing the Causes of* DEATHS *at different Periods of Life in the Province in the Year* 1889—continued.

Class.	Cause of Death.	Females. Ages at Death. All Ages.	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not Stated
	Zoogenous Diseases.																										
	Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Splenic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cowpox and other Effects of Vaccination	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Venereal Diseases.																										
	Syphilis	4	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Gonorrhœa, Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Septic Diseases.																										
	Phagedæna	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Erysipelas	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Pyæmia, Septicæmia	5	—	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—	1	—	—	—	—	—	—
	Puerperal Fever	8	—	—	—	—	—	—	—	—	1	4	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	*Parasitic Diseases.*																										
	Thrush	4	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases from Vegetable Parasites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hydatid Disease	6	—	—	—	—	—	—	—	—	1	3	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
	Other Diseases from Animal Parasites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
III.	*Dietic Diseases.*																										
	Starvation, Want of Breast Milk	15	14	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Scurvy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Intemperance { Chronic Alcoholism	3	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—
	Intemperance { Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
IV.	*Constitutional Diseases.*																										
	Rheumatic Fever, Rheumatism of Heart	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	Rheumatism	5	—	—	—	—	—	—	—	—	—	1	—	—	—	1	1	1	1	—	—	—	—	—	—	—	—
	Gout	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	Rickets	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cancer, Malignant Disease	66	—	—	—	—	—	1	—	—	—	—	3	5	5	7	14	9	7	5	4	6	—	—	—	—	—
	Tabes Mesenterica	8	4	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Tubercular Meningitis (Acute Hydrocephalus)	21	10	3	2	—	1	3	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Phthisis	123	—	1	—	—	1	1	1	13	21	26	18	9	10	6	6	5	1	4	—	—	—	—	—	—	—
	Other forms of Tuberculosis, Scrofula	13	3	—	—	—	—	—	4	1	—	—	2	1	—	—	1	—	—	1	—	—	—	—	—	—	—
	Purpura, Hæmorrhagic Diathesis	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Anæmia, Chlorosis, Leucocythæmia	10	2	—	—	—	—	—	—	1	1	1	—	—	1	1	—	1	1	—	—	—	1	—	—	—	—
	Diabetes Mellitus	3	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	—	—	—	—	—
	Other Constitutional Diseases	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
V.	*Developmental Diseases.*																										
	Premature Birth	37	37	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Atelectasis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Spina Bifida	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Imperforate Anus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cleft Palate, Harelip	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Congenital Defects	4	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Old Age	124	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	5	7	23	32	27	20	9	—	—
VI.	*Diseases of Nervous System.*																										
	Inflammation of Brain or its Membranes	21	8	2	1	2	—	2	1	1	1	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—
	Apoplexy	28	1	—	—	—	—	—	—	—	—	—	2	—	2	1	3	2	3	4	4	3	3	—	—	—	—
	Softening of Brain	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	Hemiplegia, Brain Paralysis	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	3	—	—	1	—	1	—	—	—	—
	Paralysis Undefined	7	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	3	—	—	2	—	—	—	—	—	—
	Paralysis Agitans	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Insanity, General Paralysis of Insane	13	—	—	—	—	—	—	—	2	—	—	1	—	—	1	—	2	3	1	2	—	—	1	—	—	—
	Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Epilepsy	11	—	—	—	—	—	—	1	1	3	1	—	3	—	1	1	—	—	—	—	—	—	—	—	—	—
	Convulsions	43	33	4	3	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Laryngismus Stridulus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Idiopathic Tetanus	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Paraplegia, Disease of Spinal Cord	5	—	—	—	—	—	—	—	1	—	—	—	—	1	—	1	1	—	—	—	—	1	—	—	—	—

No. 8.—*Return showing the Causes of* Deaths *at different Periods of Life in the Province in the Year* 1889—continued.

Class.	Cause of Death.	Males. Ages at Death. All Ages.	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not Stated
	Diseases of Nervous System—cont.																										
	Other Diseases of Nervous System	19	7	1	1	—	—	—	—	1	—	—	2	1	—	1	1	3	—	—	—	—	1	—	—	—	—
	Diseases of Organs of Special Sense.																										
	Otitis, Otorrhœa	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Epistaxis and Disease of Nose	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Ophthalmia and Disease of Eye	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diseases of Circulatory System.																										
	Endocarditis, Valvular Disease	12	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	2	2	3	2	—	—	—	—	—	—
	Pericarditis	2	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hypertrophy of Heart	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—
	Angina Pectoris	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	Syncope	5	1	—	—	—	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	—	—	—	—	—
	Aneurism	7	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	3	—	—	—	1	—	—	—	—	—
	Senile Gangrene	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Embolism, Thrombosis	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	Phlebitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Varicose Veins	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Circulatory System	94	1	—	—	—	1	1	—	1	2	—	6	7	4	10	3	11	11	12	16	4	1	3	—	—	—
	Diseases of Respiratory Organs.																										
	Laryngitis	3	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Croup	24	1	9	3	4	4	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Larynx and Trachea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Emphysema, Asthma	7	—	—	—	—	—	—	—	—	1	—	—	—	—	—	2	2	—	1	—	1	—	—	—	—	—
	Bronchitis	71	39	5	3	—	1	—	1	1	—	—	—	—	1	2	—	—	2	3	6	2	2	3	—	—	—
	Pneumonia	81	18	9	5	1	2	3	1	1	2	1	2	4	—	7	7	7	4	2	3	2	—	—	—	—	—
	Pleurisy	13	1	—	—	—	—	—	—	—	1	3	1	1	—	—	—	1	4	—	1	—	—	—	—	—	—
	Other Diseases of Respiratory System	13	5	—	—	1	—	1	—	—	—	—	—	—	1	2	—	—	2	1	—	—	—	—	—	—	—
	Diseases of Digestive System.																										
	Stomatitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Dentition	34	23	10	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Sore Throat, Quinsy	4	—	—	1	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Dyspepsia	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	2	—	—	—	—
	Hæmatemesis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	Malæna	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Disease of Stomach	9	3	1	—	—	—	1	—	—	—	—	—	—	1	1	—	2	—	—	—	—	—	—	—	—	—
	Enteritis	43	28	8	—	—	—	1	1	1	—	1	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—
	Ulceration of Intestine	3	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Ileus, Obstruction of Intestine	11	3	—	—	—	—	1	—	—	—	1	—	2	—	—	—	—	1	2	—	—	—	1	—	—	—
	Stricture, or Strangulation of Intestine	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Intussusception of Intestine	4	2	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Hernia	11	1	—	1	—	—	—	—	—	1	—	—	—	1	—	2	—	—	—	3	2	—	—	—	—	—
	Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Peritonitis	6	1	—	—	—	—	—	—	1	—	1	—	1	1	—	—	—	1	—	—	—	—	—	—	—	—
	Ascites	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Gallstones	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cirrhosis of Liver	15	—	—	—	—	—	—	—	—	—	—	—	—	2	3	2	4	1	1	2	—	—	—	—	—	—
	Other Diseases of Liver	24	6	—	—	—	—	1	1	—	—	2	—	—	1	4	4	—	1	1	1	1	—	1	—	—	—
	Other Diseases of Digestive System	4	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—
	Diseases of Lymphatic System and Ductless Glands.																										
	Diseases of Lymphatic System	4	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	1	1	—	—	—	—	—	—
	Diseases of Spleen	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	Bronchocele	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Addison's Disease	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	Diseases of Urinary System.																										
	Acute Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Bright's Disease	31	—	—	—	—	—	—	—	—	2	1	4	5	1	2	3	2	4	4	2	1	—	—	—	—	—
	Uræmia	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Suppression of Urine	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	Calculus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hæmaturia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diseases of Bladder and of Prostate	17	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	3	2	6	2	2	—	—	—	—
	Other Diseases of Urinary System	4	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—

No. 8.—*Return showing the Causes of* DEATHS *at different Periods of Life in the Province in the Year* 1889—continued.

Class.	Cause of Death.	Females.																									
		Ages at Death.																									
		All Ages.	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not Stated
	Diseases of Nervous System—cont.																										
	Other Diseases of Nervous System	16	8	1	—	—	—	—	—	1	—	2	—	—	—	1	2	—	—	—	1	—	—	—	—	—	—
	Diseases of Organs of Special Sense.																										
	Otitis, Otorrhœa	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Epistaxis and Disease of Nose	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Ophthalmia and Disease of Eye	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diseases of Circulatory System.																										
	Endocarditis, Valvular Disease	11	—	—	—	—	—	—	—	1	1	—	—	—	2	1	—	2	1	2	—	—	—	1	—	—	—
	Pericarditis	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	Hypertrophy of Heart	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Angina Pectoris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Syncope	4	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	1	—	—	—	—	—	—
	Aneurism	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	Senile Gangrene	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	Embolism, Thrombosis	5	—	—	—	—	—	—	—	—	—	1	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—
	Phlebitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Varicose Veins	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Circulatory System	80	2	—	—	—	—	3	5	1	—	4	4	2	5	4	5	11	6	9	7	9	2	1	—	—	—
	Diseases of Respiratory Organs.																										
	Laryngitis	6	—	2	—	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Croup	15	3	3	3	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Larynx and Trachea	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	Emphysema, Asthma	7	1	—	—	—	—	—	—	1	—	—	—	1	—	—	1	—	2	1	—	—	—	—	—	—	—
	Bronchitis	52	21	5	3	2	—	1	—	1	—	—	—	—	—	2	—	4	2	2	2	3	2	2	—	—	—
	Pneumonia	61	15	11	1	3	1	2	1	1	2	3	4	2	2	5	2	—	2	3	—	1	—	—	—	—	—
	Pleurisy	7	—	1	—	—	—	—	—	—	1	—	1	1	—	—	1	1	—	1	—	—	—	—	—	—	—
	Other Diseases of Respiratory System	11	3	1	—	—	—	—	—	—	1	—	—	1	—	1	—	—	1	2	1	—	—	—	—	—	—
	Diseases of Digestive System.																										
	Stomatitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Dentition	37	26	9	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Sore Throat, Quinsy	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Dyspepsia	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	Hæmatemesis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Malæna	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Disease of Stomach	10	2	1	—	—	—	1	—	—	—	—	1	1	—	—	—	—	1	2	1	—	—	—	—	—	—
	Enteritis	39	20	11	2	—	—	—	—	—	—	1	—	2	—	—	—	1	—	—	2	—	—	—	—	—	—
	Ulceration of Intestine	4	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	Ileus, Obstruction of Intestine	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1
	Stricture, or Strangulation of Intestine	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Intussusception of Intestine	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hernia	4	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—
	Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Peritonitis	12	—	—	—	—	—	—	—	—	1	3	3	—	1	—	1	1	—	—	1	1	—	—	—	—	—
	Ascites	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	Gallstones	3	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	1	—	—	—	—
	Cirrhosis of Liver	10	—	—	—	—	—	—	—	—	—	—	—	1	3	1	3	2	—	—	—	—	—	—	—	—	—
	Other Diseases of Liver	21	4	—	—	—	—	—	—	—	1	—	1	—	2	1	1	3	5	—	2	1	—	—	—	—	—
	Other Diseases of Digestive System	5	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—
	Diseases of Lymphatic System and Ductless Glands.																										
	Diseases of Lymphatic System	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diseases of Spleen	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Bronchocele	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diseases of Urinary System.																										
	Acute Nephritis	5	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—
	Bright's Disease	15	—	—	—	—	—	—	—	—	1	1	—	3	3	2	3	—	—	—	1	1	—	—	—	—	—
	Uræmia	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	Suppression of Urine	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Calculus	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
	Hæmaturia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diseases of Bladder and of Prostate	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Urinary System	3	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—	—	—	—	—

No. 8.—*Return showing the Causes of* Deaths *at different Periods of Life in the Province in the Year* 1889—continued.

Class.	Cause of Death.	Males. Ages at Death. All Ages.	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not Stated
	Diseases of Organs of Generation.																										
	Ovarian Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diseases of Uterus and Vagina	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Disorders of Menstruation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Pelvic Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Perineal Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diseases of Testes, Penis, Scrotum, &c.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diseases of Parturition.																										
	Abortion, Miscarriage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Puerperal Mania	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Puerperal Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Placenta Prævia, Flooding	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Phlegmasia Dolens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Accidents of Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diseases of Organs of Locomotion.																										
	Caries, Necrosis	3	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Arthritis, Ostitis, Periostitis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	Other Diseases of Organs of Locomotion	3	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	Diseases of Integumentary System.																										
	Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Phlegmon, Cellulitis	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Lupus	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Ulcer, Bedsore	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Eczema	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Pemphigus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Integumentary System	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VII	*Accident or Negligence.*																										
	Fracture and Contusion	58	—	—	—	2	1	3	3	8	5	4	7	3	1	5	5	4	—	2	1	2	2	—	—	—	—
	Gunshot Wounds	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cut, Stab	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Burn, Scald	10	1	2	1	—	1	1	—	—	1	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
	Sunstroke, Heat-apoplexy	4	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	Lightning	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Poison	4	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	2	—	—	—	—	—	—	—	—	—
	Bite of Snake or Insect	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Drowning	55	1	4	1	2	3	8	4	4	5	2	3	4	1	2	1	2	4	1	1	1	—	—	—	—	1
	Suffocation	8	5	—	—	—	—	—	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	Otherwise	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Homicide.																										
	Murder, Manslaughter	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Suicide.																										
	Gunshot Wounds	6	—	—	—	—	—	—	—	—	—	2	—	1	—	1	1	—	1	—	—	—	—	—	—	—	—
	Cut, Stab	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
	Poison	2	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	Drowning	2	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
	Hanging	5	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	1	—	1	—	—	—	—	—	—	—
	Otherwise	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII.	*Execution.*																										
	Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Ill-defined and not Specified Causes.																										
	Dropsy	5	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—
	Debility, Atrophy, Inanition	104	100	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—
	Mortification	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Tumor	3	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—
	Abscess	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Sudden (cause unascertained)	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Ill-defined and not Specified Causes	8	4	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	1	—	1	—	—	—	—	—

No. 8.—*Return showing the Causes of* Deaths *at different Periods of Life in the Province in the Year* 1889—continued.

Class.	Cause of Death.	Females. Ages at Death. All Ages.	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not Stated
	Diseases of Organs of Generation.																										
	Ovarian Disease	7	—	—	—	—	—	—	—	—	1	2	1	—	1	—	—	1	1	—	—	—	—	—	—	—	—
	Diseases of Uterus and Vagina	9	—	—	—	—	—	—	—	—	—	2	1	2	2	—	1	1	—	—	—	—	—	—	—	—	—
	Disorders of Menstruation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Pelvic Abscess	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Perineal Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diseases of Testes, Penis, Scrotum, &c.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diseases of Parturition.																										
	Abortion, Miscarriage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Puerperal Mania	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Puerperal Convulsions	6	—	—	—	—	—	—	—	1	2	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	Placenta Prævia, Flooding	4	—	—	—	—	—	—	—	—	—	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	Phlegmasia Dolens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Accidents of Childbirth	10	—	—	—	—	—	—	—	1	2	2	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diseases of Organs of Locomotion.																										
	Caries, Necrosis	3	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Arthritis, Ostitis, Periostitis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
	Other Diseases of Organs of Locomotion	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	Diseases of Integumentary System.																										
	Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Phlegmon, Cellulitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Lupus	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	Ulcer, Bedsore	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—
	Eczema	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Pemphigus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Integumentary System	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VII.	*Accident or Negligence.*																										
	Fracture and Contusion	10	—	1	—	1	—	—	—	1	—	2	1	—	1	—	—	—	—	1	2	—	—	—	—	—	—
	Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cut, Stab	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Burn, Scald	11	2	1	—	1	—	2	—	1	1	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	Sunstroke, Heat-apoplexy	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	Lightning	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Poison	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	Bite of Snake or Insect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Drowning	8	—	—	—	1	—	1	—	2	1	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—
	Suffocation	4	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Otherwise	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Homicide.																										
	Murder, Manslaughter	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Suicide.																										
	Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cut, Stab	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Drowning	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	Hanging	2	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Otherwise	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Execution.																										
	Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII	*Ill-defined and not Specified Causes.*																										
	Dropsy	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	Debility, Atrophy, Inanition	97	83	5	2	—	1	—	—	—	—	—	—	—	1	—	1	2	2	—	—	—	—	—	—	—	—
	Mortification	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Tumor	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Abscess	3	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Sudden (cause unascertained)	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Ill-defined and not Specified Causes	8	3	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—

No 9.—*Return showing* Births *and* Deaths *registered*

Months.	Births.			Deaths.																			
				Class.	Causes of Death.	Ages at Death.																	
						Total.			1		2		3		4		5		10		15		
	M.	F.	Total			M.	F.	Total.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
January ...	411	411	822		Total	218	210	428	78	91	12	15	6	5	1	3	2	—	6	7	3	2
				I.	Zymotic diseases	49	59	108	31	29	2	5	3	2	—	1	1	—	3	3	1	—
				II.	Parasitic diseases	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases	8	7	15	3	7	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases	32	26	58	3	4	2	2	—	—	—	—	—	—	—	—	—	1
				V.	Developmental diseases	16	17	33	3	4	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	81	73	154	25	25	8	7	1	3	—	1	—	—	2	3	—	1
				VII.	Violence	19	8	27	1	3	—	—	2	—	1	1	1	—	1	1	2	—
				VIII.	Ill-defined or not specified causes	13	19	32	12	18	—	1	—	—	—	—	—	—	—	—	—	—
February...	366	327	693		Total	197	127	324	65	45	13	12	1	1	4	1	2	1	3	2	11	5
				I.	Zymotic diseases	38	24	62	16	9	4	2	—	—	1	1	—	1	3	1	3	2
				II.	Parasitic diseases	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases	6	4	10	3	3	—	1	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases	30	21	51	2	3	4	2	—	—	—	—	—	—	—	1	1	1
				V.	Developmental diseases	12	11	23	5	2	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	72	51	123	24	19	5	5	—	—	3	—	1	—	—	—	2	2
				VII.	Violence	23	2	25	1	1	—	—	1	—	—	—	1	—	—	—	5	—
				VIII.	Ill-defined or not specified causes	15	14	29	13	8	—	2	—	1	—	—	—	—	—	—	—	—
March	471	455	926		Total	171	140	311	40	31	14	10	4	2	5	1	2	3	8	4	—	2
				I.	Zymotic diseases	31	29	60	11	6	4	4	1	1	1	—	—	3	2	3	—	—
				II.	Parasitic diseases	—	2	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases	33	28	61	3	1	4	1	1	—	—	—	—	—	—	1	—	—
				V.	Developmental diseases	12	15	27	6	6	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	69	51	120	11	9	6	3	2	1	3	1	1	—	4	—	—	1
				VII.	Violence	17	5	22	1	1	—	—	—	—	1	—	1	—	2	—	—	1
				VIII.	Ill-defined or not specified causes	8	10	18	8	6	—	2	—	—	—	—	—	—	—	—	—	—
April.....	457	402	859		Total	182	136	318	57	36	15	15	4	4	2	2	2	1	4	5	3	5
				I.	Zymotic diseases	50	32	82	12	9	7	5	3	1	2	1	—	—	2	3	1	3
				II.	Parasitic diseases	1	2	3	—	1	1	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases	5	2	7	3	1	1	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases	22	19	41	5	2	—	—	—	—	—	—	—	1	—	—	—	1
				V	Developmental diseases	20	17	37	9	4	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	58	48	106	12	9	6	10	1	2	—	1	2	—	1	2	2	1
				VII.	Violence	9	6	15	3	1	—	—	—	—	—	—	—	—	1	—	—	—
				VIII.	Ill-defined or not specified causes	17	10	27	13	9	—	—	—	1	—	—	—	—	—	—	—	—
May	463	475	938		Total	175	130	305	43	40	9	6	1	6	2	4	1	1	6	8	3	3
				I.	Zymotic diseases	26	33	59	6	7	2	4	—	2	1	2	1	1	3	5	2	2
				II.	Parasitic diseases	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases	2	2	4	1	2	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases	24	16	40	1	1	—	—	—	—	—	—	—	—	—	—	—	—
				V.	Developmental diseases	24	10	34	5	4	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	66	53	119	12	13	6	1	1	4	1	2	—	—	2	3	—	1
				VII.	Violence	11	1	12	1	—	—	1	—	—	—	—	—	—	—	—	1	—
				VIII.	Ill-defined or not specified causes	22	14	36	17	13	1	—	—	—	—	—	—	—	1	—	—	—
June.....	515	479	994		Total	141	85	226	27	15	7	3	1	1	1	2	3	—	8	—	2	4
				I.	Zymotic diseases	22	13	35	2	3	4	—	—	—	1	1	1	—	4	—	—	2
				II.	Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases	24	20	44	2	—	2	2	—	—	—	—	—	—	2	—	—	1
				V.	Developmental diseases	18	15	33	6	4	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	58	33	91	9	6	1	1	1	1	—	1	2	—	2	—	2	1
				VII.	Violence	11	1	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				VIII.	Ill-defined or not specified causes	8	3	11	8	2	—	—	—	—	—	—	—	—	—	—	—	—

in South Australia in each Month of the Year 1889.

Deaths.

Ages at Death.

20		25		30		35		40		45		50		55		60		65		70		75		80		85		90		95		100		Not Stated.	
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
5	3	4	7	5	5	5	9	8	5	6	6	7	4	7	1	12	6	10	9	14	11	13	5	6	6	7	6	—	3	1	1	—	—	—	—
1	2	—	4	—	2	—	2	1	2	—	—	—	—	1	—	—	—	2	2	2	2	1	—	—	—	—	1	—	1	—	1	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	—	2	2	2	—	2	3	3	2	1	3	3	1	3	—	4	2	—	2	3	4	1	—	1	—	1	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	3	1	4	2	1	4	3	4	—	2	1	—	—	—	—	—
2	—	1	1	2	2	2	4	4	1	4	3	4	3	1	1	3	4	5	5	5	4	7	3	3	1	2	1	—	—	—	—	—	—	—	—
1	1	1	—	1	1	1	—	—	—	—	—	—	—	1	—	3	—	—	—	1	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	4	7	3	7	2	8	8	6	3	6	2	13	1	8	6	8	6	7	6	11	3	8	7	—	5	4	1	1	3	—	—	—	—	—	—
2	1	2	2	4	2	—	1	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	1	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	2	1	1	—	3	3	1	1	3	—	4	—	1	2	1	3	2	2	4	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	3	—	—	3	3	1	—	3	—	—	—	—	—	—
1	2	—	—	2	—	1	4	1	2	3	2	6	1	4	3	5	2	4	3	4	1	5	4	—	1	—	—	1	—	—	—	—	—	—	—
1	1	2	—	—	—	4	—	2	—	—	—	1	—	2	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7	10	9	5	6	17	13	3	8	4	4	4	11	6	2	7	6	6	8	3	8	5	6	6	5	3	3	6	1	1	1	1	—	—	—	—
1	2	2	2	1	2	3	—	—	1	—	1	1	1	1	2	1	—	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	3	2	3	4	6	4	3	2	1	2	1	2	2	—	1	—	3	1	1	—	—	2	—	1	1	1	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	—	2	2	3	1	1	1	1	—	—	—	—
—	5	3	—	1	7	3	—	4	2	2	2	6	3	1	4	5	3	4	2	8	3	2	3	3	—	—	2	—	—	—	—	—	—	—	—
2	—	1	—	—	2	3	—	2	—	—	—	2	—	—	—	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
6	4	9	6	6	13	8	4	7	2	8	3	4	7	10	4	4	5	6	5	8	3	7	3	5	3	3	4	3	—	—	2	—	—	1	—
3	1	8	4	1	3	4	—	1	—	1	—	—	—	2	1	—	1	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	1	1	1	2	3	3	2	—	1	3	1	2	4	3	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	1	4	1	1	3	2	4	2	—	—	2	—	—	—	—
—	1	—	1	3	4	1	1	4	1	3	2	2	2	4	1	3	4	4	3	3	2	3	1	2	—	1	—	1	—	—	—	—	—	—	—
1	1	—	—	—	2	—	—	1	—	1	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—
1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	6	7	9	3	4	5	4	7	2	6	3	7	5	10	7	11	6	7	3	12	2	12	4	11	4	4	2	1	—	1	1	—	—	—	—
2	3	—	2	1	2	—	—	1	1	3	—	—	—	—	—	—	—	1	—	—	—	3	2	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	2	6	4	—	1	3	—	2	1	1	1	2	—	—	2	—	3	—	1	5	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—	3	1	7	2	4	2	1	—	1	1	—	—	—	—
—	1	—	3	1	—	1	4	4	—	—	2	4	5	8	4	9	3	5	2	5	2	3	1	4	2	—	—	—	—	—	—	—	—	—	—
2	—	1	—	1	—	1	—	—	—	1	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
6	5	4	5	4	3	8	6	8	4	2	4	8	5	6	5	4	4	11	—	10	5	9	6	7	2	2	5	3	1	—	—	—	—	—	—
2	2	3	—	1	1	1	1	2	2	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	2	1	2	1	1	3	2	2	1	—	2	3	1	2	4	—	—	3	—	2	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1	3	3	3	2	2	4	1	1	—	—	—	—	—	—
—	1	—	2	2	1	3	3	3	1	1	1	3	3	2	1	3	4	7	—	5	4	6	2	4	—	—	—	2	—	—	—	—	—	—	—
3	—	—	1	—	—	1	—	1	—	1	—	2	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

No. 9—*Return showing* Births *and* Deaths *registered*

Months.	Births.			Deaths.																			
				Class.	Causes of Death.	Ages at Death.																	
						Total.			1		2		3		4		5		10		15		
	M.	F.	Total			M.	F.	Total.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
July..... ...	488	457	945		Total	150	105	255	20	21	5	2	7	—	5	—	7	3	6	6	1	2
				I.	Zymotic diseases.....	21	16	37	—	1	2	—	3	—	3	—	4	3	4	4	—	1
				II.	Parasitic diseases	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases.....	27	26	53	1	1	—	1	1	—	—	—	—	—	—	1	—	—
				V.	Developmental diseases	19	13	32	4	3	1	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	63	43	106	7	10	2	1	3	—	1	—	3	—	1	1	1	1
				VII.	Violence	13	1	14	2	—	—	—	—	—	1	—	—	—	1	—	—	—
				VIII.	Ill-defined or not specified causes	5	6	11	4	6	—	—	—	—	—	—	—	—	—	—	—	—
August.....	465	446	911		Total	126	122	248	27	17	3	5	3	4	—	4	—	4	4	1	4	1
				I.	Zymotic diseases.....	6	7	13	1	—	—	1	1	3	—	1	—	1	—	—	1	—
				II.	Parasitic diseases	2	1	3	—	—	—	—	—	—	—	—	—	—	1	—	—	—
				III.	Dietic diseases.....	3	1	4	2	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases.....	22	18	40	2	—	—	—	—	—	—	—	—	—	—	—	1	1
				V.	Developmental diseases	19	19	38	5	5	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	61	69	130	13	10	3	2	2	1	—	3	—	3	2	1	1	—
				VII.	Violence.....	9	2	11	—	—	—	1	—	—	—	—	—	—	1	—	1	—
				VIII.	Ill-defined or not specified causes	4	5	9	4	2	—	1	—	—	—	—	—	—	—	—	—	—
September.	452	426	878		Total	132	115	247	34	21	4	5	3	3	2	2	1	1	9	5	1	2
				I.	Zymotic diseases..	7	7	14	—	—	—	—	1	—	1	—	1	—	1	3	—	—
				II.	Parasitic diseases	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases.....	2	1	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases.....	29	24	53	3	1	—	—	—	2	—	—	—	1	2	2	—	1
				V.	Developmental diseases	10	19	29	3	6	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases.....	61	53	114	17	8	3	5	2	1	1	2	—	—	4	—	1	1
				VII.	Violence	14	3	17	1	—	1	—	—	—	—	—	—	—	2	—	—	—
				VIII.	Ill-defined or not specified causes.....	9	6	15	9	6	—	—	—	—	—	—	—	—	—	—	—	—
October ...	440	374	814		Total	136	101	237	28	25	5	5	4	2	3	1	4	2	7	3	3	2
				I.	Zymotic diseases..... ...	6	7	13	—	2	1	—	2	1	1	—	—	—	2	2	—	1
				II.	Parasitic diseases	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases.....	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases.....	28	19	47	1	1	—	—	—	1	—	—	—	—	1	—	1	—
				V.	Developmental diseases	15	11	26	5	3	—	—	—	—	—	—	—	—	1	—	—	—
				VI.	Local diseases	66	52	118	17	11	3	4	2	—	1	1	3	1	1	1	1	1
				VII.	Violence	13	5	18	—	3	1	1	—	—	1	—	1	—	2	—	1	—
				VIII.	Ill-defined or not specified causes.....	5	7	12	4	5	—	—	—	—	—	—	—	1	—	—	—	—
November.	407	385	792		Total	158	125	283	51	54	15	8	1	4	1	3	1	1	3	3	5	2
				I.	Zymotic diseases.....	18	22	40	11	16	4	1	1	2	1	1	—	1	1	—	—	1
				II.	Parasitic diseases	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases	1	1	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases.....	30	18	48	7	4	—	—	—	—	—	—	—	—	1	—	1	—
				V.	Developmental diseases	9	9	18	2	2	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases.....	79	64	143	23	24	9	7	—	2	—	1	—	—	1	1	3	1
				VII.	Violence	11	5	16	—	1	2	—	—	—	—	1	1	—	—	2	—	—
				VIII.	Ill-defined or not specified causes	9	6	15	7	6	—	—	—	—	—	—	—	—	—	—	1	—
December..	351	395	746		Total	180	139	319	71	35	16	10	6	1	3	2	—	3	5	4	3	—
				I.	Zymotic diseases.....	42	32	74	32	17	4	3	1	1	1	1	—	1	1	4	1	—
				II.	Parasitic diseases	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases	4	—	4	2	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases.....	27	19	46	3	1	3	—	—	—	1	—	—	—	—	—	—	—
				V.	Developmental diseases	18	12	30	4	1	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases.....	70	58	128	23	7	7	6	5	—	1	—	—	2	1	—	1	—
				VII.	Violence	12	7	19	—	1	2	—	—	—	—	1	—	—	3	—	1	—
				VIII.	Ill-defined or not specified causes	7	10	17	7	8	—	1	—	—	—	—	—	—	—	—	—	—

in South Australia in each Month of the Year 1889—continued.

Deaths.

Ages at Death.

20		25		30		35		40		45		50		55		60		65		70		75		80		85		90		95		100		Not Stated.	
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
2	6	7	3	6	7	5	6	11	7	5	7	9	3	7	2	6	4	11	4	8	5	9	6	9	9	1	2	3	—	—	—	—	—	—	—
—	2	1	—	—	1	—	2	1	—	—	—	1	1	—	—	—	—	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	3	3	1	3	4	5	2	4	3	3	2	1	—	2	2	—	1	2	2	1	1	—	—	1	2	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	5	3	4	5	—	2	2	—	—	—	—	—	—	—
2	1	2	2	1	1	—	2	3	4	2	5	5	2	5	—	6	3	8	1	4	4	4	3	2		—	—	1	—	—	—	—	—	—	—
—	—	1	—	2	1	—	—	3	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
—	5	4	4	8	8	5	7	5	5	6	5	6	6	6	3	7	9	6	6	7	5	7	7	6	5	7	3	5	5	—	3	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	1	2	1	6	3	—	4	3	1	2	—	1	3	2	1	1	—	2	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	4	3	2	2	4	1	3	4	—	3	—	—	—	—
—	4	1	3	12	5	4	2	2	4	2	4	4	2	3	2	5	7	1	4	5	2	3	4	3	3	3	2	2	1	—	—	—	—	—	—
—	—	1	—	—	—	1	1	—	—	1	—	—	—	1	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	4	6	9	6	9	4	2	6	4	4	5	6	1	3	4	13	7	5	4	6	6	5	7	4	7	2	2	1	5	1	—	—	—	—	—
—	1	—	1	1	1	—	1	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	2	4	3	4	3	1	—	1	1	2	2	2	1	1	1	2	1	2	—	1	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	1	—	1	2	5	2	1	1	3	1	—	—	—	—	—
2	1	2	4	—	3	1	1	3	2	2	2	3	—	2	3	7	6	1	2	4	2	4	5	2	2	—	1	—	2	—	—	—	—	—	—
1	—	—	1	1	—	2	—	1	—	—	1	1	—	—	—	2	—	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	2	4	2	5	5	2	3	6	6	2	4	7	4	3	6	6	4	8	3	8	3	18	3	2	7	4	4	1	3	—	1	—	—	1	1
—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	—	1	1	2	4	2	2	3	1	1	3	1	2	—	2	2	1	3	—	2	—	3	1	—	—	—	—	—	—	—	—	—	—	1	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	4	1	1	2	2	2	—	2	—	1	—	—	—	—
1	2	1	1	—	1	—	1	3	4	1	1	5	2	3	4	4	2	5	2	4	3	8	1	1	5	1	2	1	1	—	—	—	—	—	1
—	—	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
4	—	9	4	7	1	4	2	2	5	1	3	7	2	6	6	2	5	10	6	7	2	9	6	8	4	3	1	2	3	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	—	2	2	4	1	1	—	1	2	1	2	3	1	3	3	—	1	2	1	2	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	3	4	1	—	1	1	2	—	—	—	—	—	—
1	—	5	2	1	—	2	2	—	3	—	1	4	1	3	3	2	4	7	5	4	2	9	2	2	2	2	—	1	1	—	—	—	—	—	—
2	—	1	—	2	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
4	5	4	4	3	8	2	7	6	5	3	3	5	1	4	11	8	5	9	4	3	8	8	8	4	6	9	5	2	3	—	1	1	—	1	—
1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	2	1	1	—	2	2	3	3	—	1	1	1	—	2	4	3	1	2	—	—	—	1	2	1	2	—	—	—	—	—	—	—	—	1	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	1	3	3	1	8	2	1	2	—	1	1	—	—	—
—	—	—	2	2	6	—	3	1	5	2	1	3	1	2	6	4	3	7	3	3	3	6	3	—	3	1	3	1	1	—	—	—	—	—	—
1	1	2	—	1	—	—	1	—	—	—	—	1	—	—	1	1	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

No. 10.—*Return of* Births *and* Deaths *registered in South Australia in the Years* 1884-1889.

Years	1884.	1885.	1886.	1887.	1888.	1889
*Population, Mean	303,426	308,648	305,561	308,836	310,886	315,402
Births	11,847	12,046	11,177	10,831	10,510	Total, 10,318—Males, 5,286; females, 5,032.
Rate per 1,000 of population	39·04	39·03	36·58	35·07	33·81	32·71

Deaths—						All Ages. M.	All Ages. F.	All Ages. Total.	Under 1 Year.	1 and under 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards	Not stated.
All causes	4,789	3,987	4,234	3,944	3,759	1,966	1,535	3,501	972	387	295	545	525	618	155	4
Rate per 1,000	15·78	12·92	13·86	12·77	12·09	—	—	11·10	—	—	—	—	—	—	—	—
DISEASES.																
I. Specific Febrile or Zymotic	966	720	693	664	550	316	281	597	221	129	103	85	26	28	5	—
II. Parasitic	32	15	30	24	22	8	10	18	6	1	1	6	3	1	—	—
III. Dietic	60	37	57	54	49	34	18	52	32	2	—	7	9	2	—	—
IV. Constitutional	602	576	603	616	607	328	254	582	52	31	56	199	151	87	4	2
V. Developmental	399	353	407	430	373	192	168	360	101	1	1	—	1	150	106	—
VI. Local	2,035	1,707	1,813	1,625	1,667	804	648	1,452	344	188	85	189	293	315	37	1
VII. Violence	239	212	272	229	234	162	46	208	21	24	46	57	34	22	3	1
VIII. Ill-defined and not specified causes	456	367	359	302	257	122	110	232	195	11	3	2	8	13	—	—

* The numbers represent the population of South Australia proper, and are exclusive of that of the Northern Territory (European and Chinese), which at last census was 4,521, and also the aborigines, which at last census was 6,346

No. 11.—Births *and* Deaths *registered in the Corporate Towns specified in the Year* 1889.

Corporate Towns.	Estimated Mean Population.	Registered during Year. Births.	Deaths. Total.	Deaths. Under One Year.	The Deaths Registered in the Year include Deaths from— Measles	Scarlet Fever.	Diphtheria.	Whooping Cough.	Enteric Fever.	Diarrhœa and Dysintery.	Diseases of Respiratory System.	Phthisis.	Diseases of Circulatory System.	Birth and Death Rates per 1,000 living. Births.	Deaths.
Adelaide	44,076	1,051	821	168	—	—	15	—	30	39	78	95	49	23·8	18·6
Hindmarsh	7,782	286	73	30	—	—	—	—	1	9	5	10	5	36·8	9·4
Thebarton	2,792	160	41	13	—	—	1	—	—	7	3	6	2	57·3	14·7
Port Adelaide	5,773	172	61	15	—	—	1	—	3	2	6	8	6	29·8	10·6
Semaphore	5,972	256	93	36	—	—	8	—	1	13	9	10	7	42·9	15·6
Glenelg	3,120	99	30	8	—	—	4	—	—	1	1	3	2	31·7	9·6
Brighton	883	18	4	—	—	—	—	—	—	—	2	—	—	20·4	4·5
Unley	9,585	398	163	38	—	—	17	—	5	11	16	18	6	41·5	17·0
St. Peters	4,373	178	64	20	—	—	6	—	2	7	11	7	5	40·7	14·6
Norwood and Kensington	11,555	394	158	57	—	—	7	—	1	28	9	11	19	34·1	13·7
Gawler	2,075	59	33	5	—	—	—	—	2	1	9	1	4	28·4	15·9
Kapunda	2,623	79	44	10	—	—	3	—	7	—	3	2	6	30·1	16·8
Burra	3,032	109	65	20	—	—	—	—	10	9	2	3	2	35·9	21·4
Clare	1,296	41	10	2	—	—	—	—	—	—	1	1	1	31·6	7·7
Jamestown	1,139	52	12	5	—	—	—	—	2	4	—	1	2	45·6	10·5
Port Augusta	1,510	55	20	6	—	—	5	—	2	1	1	1	1	36·4	13·2
Port Pirie	2,308	107	37	19	—	—	1	—	1	6	1	3	2	46·4	16·0
Kadina	1,743	82	26	10	—	—	—	—	1	—	3	1	—	47·0	14·9
Moonta	1,625	54	18	5	—	—	—	—	—	2	2	1	1	33·2	11·1
Wallaroo	2,141	52	39	5	—	—	2	—	—	2	4	2	2	24·3	18·2
Goolwa	788	34	10	2	—	—	—	—	1	—	3	—	1	43·1	12·7
Strathalbyn	884	28	12	1	—	—	—	—	—	—	4	—	1	31·7	13·6
Mount Gambier	2,752	119	43	7	—	—	—	—	—	3	6	5	4	43·2	15·6

No. 12.—*Return of* Births *and* Deaths *registered in the City of Adelaide in the Years* 1884-89.

Years	1884.	1885.	1886.	1887.	1888.	1889.
Population, Mean	43,287	44,651	44,118	43,174	43,445	44,076.
Births	1,402	1,296	1,239	1,226	1,203	Total, 1,051—Males, 542; females, 509.
Rate per 1,000 of population	32·39	29·03	28·08	28·40	27·69	23·85

Deaths—						All Ages. M.	All Ages. F.	All Ages. Total.	Under 1 Year	1 and under 5	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.
All causes	1,043	835	856	848	827	462	359	821	168	57	54	166	171	166	38	1
Rate per 1,000 of population	24·10	18·70	19·40	19·64	19·04	—	—	18·63	—	—	—	—	—	—	—	—
Diseases—																
I. Specific Febrile or Zymotic	212	156	107	110	112	53	48	101	34	20	16	19	7	4	1	—
II. Parasitic	9	1	10	6	9	4	4	8	1	—	1	4	2	—	—	—
III. Dietic	11	13	20	24	20	10	9	19	15	—	—	4	—	—	—	—
IV. Constitutional	166	149	165	189	185	106	69	175	6	6	20	60	55	27	—	1
V. Developmental	82	61	82	101	82	50	43	93	15	1	—	—	—	49	28	—
VI. Local	432	361	369	348	344	186	150	336	52	24	14	62	99	78	7	—
VII. Violence	37	34	45	36	38	33	14	47	7	4	3	17	7	7	2	—
VIII. Ill-defined and not specified causes	94	60	58	34	37	20	22	42	38	2	—	—	1	1	—	—

Causes of Deaths *Registered in the Year ended December* 31*st*, 1889.

	Under One Year.	One Year and Above.
I.		
Measles	—	—
Scarlet fever	—	—
Relapsing fever	—	—
Influenza	—	—
Whooping-cough	—	—
Diphtheria	—	15
Simple and ill-defined fever	—	2
Enteric fever	1	29
Simple cholera	2	—
Diarrhœa, dysentery	26	13
Remittent fever	—	—
Venereal affections	5	6
Erysipelas	—	—
Pyæmia septicæmia	—	1
Puerperal fever	—	1
Other zymodic diseases	—	—
II.		
Thrush	1	—
Worms and other parasitical diseases	—	7
III.		
Privation, want of breast milk	15	—
Alcoholism	—	4
IV.		
Rheumatic fever and rheumatism of heart	—	1
Rheumatism	—	6
Gout	—	3
Cancer, malignant disease	—	43
Tabes mesenterica	4	1
Tubercular meningitis	2	7
Phthisis	—	95
Scrofula, tuberculosis	—	10
Other constitutional diseases	—	3
V.		
Premature birth	12	—
Cyanosis	—	—
Congenital defects	3	1
Old age	—	77
VI.		
Apoplexy	—	13
Epilepsy	—	3
Convulsions	11	1
Other diseases of brain and nervous system	5	65
Diseases of organs of special sense	—	—
Diseases of circulatory system	—	49
Croup	3	1
Bronchitis	13	16
Pneumonia	5	28
Pleurisy	—	2
Other diseases of respiratory system	1	9
Dentition	6	3
Quinsy, sore throat	—	—
Enteritis	6	6
Peritonitis	—	4
Diseases of liver	1	17
Other diseases of digestive system	1	15
Diseases of lymphatic systems and of ductless glands	—	3
Diseases of urinary system	—	26
Diseases of generative system	—	10
Accidents of childbirth	—	4
Diseases of locomotive system	—	7
Diseases of integumentary system	—	2
VII.		
(Accident.)		
Fracture and contusion	1	13
Gunshot wound	—	—
Cut, stab	—	—
Burn and scald	1	4
Poison	—	1
Drowning	—	12
Suffocation	5	1
Sunstroke	—	1
(Homicide.)		
Murder and manslaughter	—	—
(Suicide.)		
Gunshot wound	—	1
Cut, stab	—	2
Poison	—	2
Drowning	—	—
Hanging	—	3
Otherwise	—	—
VIII.		
Dropsy	—	—
Debility, atrophy, inanition	35	3
Mortification	—	—
Tumor	—	1
Abscess	—	—
Hæmorrhage	—	—
Sudden, cause unascertained	1	—
Other ill-defined and not specified causes	2	—

No. 13.—*Return showing the* Births *and* Deaths *registered*

Months.	Births.			Deaths.																				
				Class.	Causes of Death.	Ages at Death.																		
						Total.			1		2		3		4		5		10		15			
	M.	F.	Total			M.	F.	Total.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
January ...	32	43	75		Total	45	49	94	9	21	—	1	1	1	—	—	1	—	—	—	—	—	—	—
				I.	Zymotic diseases	9	9	18	4	7	—	—	1	—	—	—	—	—	—	—	—	—	—	—
				II.	Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases	2	5	7	2	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases	10	8	18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				V.	Developmental diseases	2	3	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	18	17	35	3	5	—	1	—	1	—	—	—	—	—	—	—	—	—	—
				VII.	Violence	4	3	7	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
				VIII.	Ill-defined or not specified causes	—	4	4	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—
February...	37	35	72		Total	39	20	59	13	5	2	2	—	—	—	1	—	—	—	—	1	1		
				I.	Zymotic diseases	3	3	6	2	1	—	1	—	—	—	1	—	—	—	—	—	—		
				II.	Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				III.	Dietic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				IV.	Constitutional diseases	11	4	15	1	—	1	—	—	—	—	—	—	—	—	—	—	1		
				V.	Developmental diseases	4	1	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
				VI.	Local diseases	13	8	21	5	1	—	1	—	—	—	—	—	—	—	—	—	—		
				VII.	Violence	5	1	6	1	1	—	—	—	—	—	—	—	—	—	—	1	—		
				VIII.	Ill-defined or not specified causes	3	3	6	3	2	1	—	—	—	—	—	—	—	—	—	—	—		
March	40	44	84		Total	28	28	56	3	5	2	3	—	1	—	—	—	—	1	—	—	—		
				I.	Zymotic diseases	4	5	9	—	1	1	—	—	1	—	—	—	—	—	—	—	—		
				II.	Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				III.	Dietic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				IV.	Constitutional diseases	7	9	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				V.	Developmental diseases	1	1	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—		
				VI.	Local diseases	13	11	24	1	2	1	2	—	—	—	—	—	—	1	—	—	—		
				VII.	Violence	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				VIII.	Ill-defined or not specified causes	1	2	3	1	1	—	1	—	—	—	—	—	—	—	—	—	—		
April	48	57	105		Total	44	34	78	9	7	1	3	1	—	1	—	—	—	1	1	—	2		
				I.	Zymotic diseases	10	4	14	1	1	1	—	—	—	1	—	—	—	1	1	—	—		
				II.	Parasitic diseases	—	2	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
				III.	Dietic diseases	2	2	4	2	1	—	—	—	—	—	—	—	—	—	—	—	—		
				IV.	Constitutional diseases	3	6	9	1	—	—	—	—	—	—	—	—	—	—	—	—	1		
				V.	Developmental diseases	7	8	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				VI.	Local diseases	15	9	24	1	3	—	3	1	—	—	—	—	—	—	—	—	1		
				VII.	Violence	4	2	6	2	—	—	—	—	—	—	—	—	—	—	—	—	—		
				VIII.	Ill-defined or not specified causes	3	1	4	2	1	—	—	—	—	—	—	—	—	—	—	—	—		
May	53	51	104		Total	40	34	74	7	8	—	—	—	3	1	1	—	1	—	1	1	1		
				I.	Zymotic diseases	5	10	15	1	2	—	—	—	1	1	1	—	1	—	1	1	—		
				II.	Parasitic diseases	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				III.	Dietic diseases	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
				IV.	Constitutional diseases	7	3	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				V.	Developmental diseases	6	2	8	1	2	—	—	—	—	—	—	—	—	—	—	—	—		
				VI.	Local diseases	15	14	29	1	—	—	—	—	2	—	—	—	—	—	—	—	1		
				VII.	Violence	4	—	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
				VIII.	Ill-defined or not specified causes	3	3	6	3	3	—	—	—	—	—	—	—	—	—	—	—	—		
June	51	30	81		Total	32	19	51	2	3	1	—	—	—	—	—	—	—	1	—	—	1		
				I.	Zymotic diseases	4	1	5	1	—	—	—	—	—	—	—	—	—	1	—	—	—		
				II.	Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				III.	Dietic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				IV.	Constitutional diseases	6	5	11	—	—	—	—	—	—	—	—	—	—	—	—	—	1		
				V.	Developmental diseases	5	5	10	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
				VI.	Local diseases	14	8	22	—	2	1	—	—	—	—	—	—	—	—	—	—	—		
				VII.	Violence	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				VIII.	Ill-defined or not specified causes	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—		

in the City of Adelaide in each Month of the Year 1889.

Deaths.

Ages at Death.

20		25		30		35		40		45		50		55		60		65		70		75		80		85		90		95		100		Not Stated.	
M.	F.	M.	F.	M.	F.	M	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
1	1	3	2	1	1	3	3	3	3	2	4	3	2	2	—	6	2	2	2	3	1	3	1	—	1	2	2	—	1	—	—	—	—	—	—
1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	2	1	—	—	1	1	—	2	—	2	2	—	2	—	3	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	—	1	—	—	—	—	—	—
—	—	1	1	1	—	1	2	2	—	2	2	1	2	—	—	1	1	2	1	2	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—
—	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	1	2	—	3	—	2	2	2	1	1	—	2	1	2	—	1	2	2	—	4	1	1	2	—	—	2	—	—	—	—	—	—	—	—	—
—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	1	—	1	—	—	1	—	1	1	—	1	—	1	—	1	1	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	2	—	—	—	—	—	—	—	—	—
—	1	—	—	1	—	1	1	1	—	—	—	1	1	1	—	—	1	1	—	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
—	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	3	3	2	1	3	2	1	3	—	1	1	3	2	1	1	1	3	3	1	2	—	2	—	—	1	—	1	—	—	—	—	—	—	—	—
—	—	1	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	1	1	1	1	1	2	1	1	—	—	—	1	2	—	—	—	2	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	2	1	—	—	2	—	—	1	—	1	1	2	—	—	—	1	1	1	1	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	—	2	1	1	3	4	2	1	1	4	1	1	1	4	2	1	1	2	3	4	—	4	1	—	1	1	4	1	—	—	—	—	—	—	—
—	—	2	1	—	—	2	—	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	—	—	—	—	—	1	1	—	1	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	—	4	1	—	1	—	4	1	—	—	—	—	—	—	—
—	—	—	—	1	—	1	—	1	—	2	1	1	—	3	—	1	—	1	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
—	—	—	—	—	2	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	3	4	2	1	1	—	3	1	1	1	1	2	2	2	4	6	—	2	2	6	—	3	—	1	—	—	—	1	—	—	—	—	—	—	—
1	1	—	1	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	1	3	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	1	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—	1	—	—	—	1	—	—	—	—	—	—	—
—	1	—	1	—	—	—	3	1	—	—	1	1	2	2	2	5	—	2	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	1	1	1	—	1	4	2	2	1	—	1	1	1	2	2	2	—	3	—	3	2	4	1	2	1	1	1	1	—	—	—	—	—	—	—
—	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	—	—	—	—	—	1	1	—	1	—	—	1	—	1	2	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	1	1	1	1	1	1	—	—	—	—	—	—	—
—	—	—	1	—	1	2	1	2	—	—	1	—	1	1	—	2	—	1	—	1	1	3	—	1	—	—	—	—	—	—	—	—	—	—	—
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

No. 13.—*Return showing the* Births *and* Deaths *registered*

Months.	Births.			Class.	Causes of Death	Deaths.																	
						Ages at Death.																	
						Totals.			1		2		3		4		5		10		15		
	M.	F.	Total			M.	F.	Total.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
July	55	56	111		Total	44	29	73	3	5	1	—	—	—	1	—	1	—	1	2	—	—
				I.	Zymotic diseases	3	4	7	—	1	—	—	—	—	—	—	1	—	1	1	—	—
				II.	Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases	11	6	17	—	1	—	—	—	—	—	—	—	—	—	1	—	—
				V.	Developmental diseases	8	3	11	1	1	1	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	18	16	34	1	2	—	—	—	—	—	—	—	—	—	—	—	—
				VII.	Violence	3	—	3	—	—	—	—	—	—	1	—	—	—	—	—	—	—
				VIII.	Ill-defined or not specified causes	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
August	71	44	115		Total	38	32	70	6	5	1	1	2	—	—	—	—	1	1	1	—	1
				I.	Zymotic diseases	2	2	4	1	—	—	1	1	—	—	—	—	1	—	—	—	—
				II.	Parasitic diseases	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—
				III.	Dietic diseases	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases	6	6	12	—	—	—	—	—	—	—	—	—	—	—	—	—	1
				V.	Developmental diseases	3	6	9	—	2	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	22	17	39	4	3	1	—	1	—	—	—	—	—	—	1	—	—
				VII.	Violence	3	1	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				VIII.	Ill-defined or not specified causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
September	45	35	80		Total	30	31	61	6	5	—	1	1	1	—	—	—	1	1	—	—	—
				I.	Zymotic diseases	3	1	4	—	—	—	—	—	—	—	—	—	—	1	—	—	—
				II.	Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases	2	1	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases	6	8	14	—	—	—	—	—	1	—	—	—	1	—	—	—	—
				V.	Developmental diseases	3	3	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	13	13	26	4	1	—	1	1	—	—	—	—	—	—	—	—	—
				VII.	Violence	2	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				VIII.	Ill-defined or not specified causes	1	4	5	1	4	—	—	—	—	—	—	—	—	—	—	—	—
October	28	41	69		Total	37	24	61	6	5	2	3	—	1	—	—	—	—	—	—	2	—
				I.	Zymotic diseases	1	2	3	—	2	1	—	—	—	—	—	—	—	—	—	—	—
				II.	Parasitic diseases	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases	14	3	17	—	—	—	—	—	1	—	—	—	—	—	—	1	—
				V.	Developmental diseases	3	2	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	13	15	28	2	2	1	2	—	—	—	—	—	—	—	—	1	—
				VII.	Violence	1	1	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—
				VIII.	Ill-defined or not specified causes	3	1	4	3	1	—	—	—	—	—	—	—	—	—	—	—	—
November	45	45	90		Total	35	24	59	9	9	3	—	—	—	—	1	—	—	2	—	1	—
				I.	Zymotic diseases	1	1	2	1	—	—	—	—	—	—	1	—	—	—	—	—	—
				II.	Parasitic diseases	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases	7	6	13	—	1	—	—	—	—	—	—	—	—	1	—	1	—
				V.	Developmental diseases	3	3	6	1	1	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	17	10	27	3	4	2	—	—	—	—	—	—	—	1	—	—	—
				VII.	Violence	2	2	4	—	1	1	—	—	—	—	—	—	—	—	—	—	—
				VIII.	Ill-defined or not specified causes	3	2	5	3	2	—	—	—	—	—	—	—	—	—	—	—	—
December	37	28	65		Total	50	35	85	10	7	4	—	2	—	—	—	—	1	—	1	1	—
				I.	Zymotic diseases	8	6	14	4	4	1	—	1	—	—	—	—	1	—	1	1	—
				II.	Parasitic diseases	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases	2	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases	18	5	23	2	—	2	—	—	—	—	—	—	—	—	—	—	—
				V.	Developmental diseases	5	6	11	—	1	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	15	12	27	2	—	1	—	1	—	—	—	—	—	—	—	—	—
				VII.	Violence	1	3	4	—	1	—	—	—	—	—	—	—	—	—	—	—	—
				VIII.	Ill-defined or not specified causes	1	2	3	1	1	—	—	—	—	—	—	—	—	—	—	—	—

in the City of Adelaide in each Month of the Year 1889—continued.

Deaths.

Ages at Death.

20		25		30		35		40		45		50		55		60		65		70		75		80		85		90		95		100		Not tated.	
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
—	4	1	1	1	1	1	3	8	1	1	3	4	1	5	—	2	1	6	—	5	3	2	3	1	1	—	—	—	—	—	—	—	—	—	—
—	1	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	2	1	—	1	—	1	1	4	—	—	1	—	—	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	2	1	1	1	—	—	—	—	—	—	—	—	—	—
—	1	—	1	—	1	—	1	2	1	1	2	3	1	3	—	2	1	4	—	2	3	—	2	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	1	1	3	2	1	4	3	2	1	4	—	4	1	1	1	2	4	1	1	2	1	2	1	2	1	—	1	1	1	—	2	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	1	1	1	—	—	2	1	—	1	—	1	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	1	—	—	2	—	—	—	—
—	1	—	2	1	1	3	—	1	1	2	—	3	—	—	1	1	4	1	1	2	—	—	—	2	—	—	1	—	1	—	—	—	—	—	—
—	—	—	—	—	—	1	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	3	2	3	2	1	2	—	2	2	2	1	1	—	2	—	3	2	—	1	—	3	1	3	2	2	1	—	—	2	—	—	—	—	—	—
—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	1	1	2	—	—	1	—	—	1	1	—	—	—	1	—	1	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	1	1	—	—	1	—	—	—	—	—	—
1	1	1	—	—	1	—	—	1	—	1	1	1	—	1	—	1	2	—	1	—	1	1	2	—	1	—	—	—	1	—	—	—	—	—	—
—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	—	—	—	2	1	1	—	1	3	—	1	5	1	—	1	2	—	3	1	3	2	5	2	1	1	2	2	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	—	—	—	1	1	1	—	1	—	—	1	1	—	—	—	2	—	1	—	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	1	—	—	—	1	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	3	—	—	3	1	—	1	—	—	2	1	—	2	2	1	1	1	1	1	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	5	2	1	1	—	—	—	1	1	1	2	1	1	1	2	1	2	1	1	1	2	3	1	—	1	1	1	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	1	1	1	—	—	—	1	1	1	—	1	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	1	1	—	—	—	—	—	—	—
—	—	4	1	—	—	—	—	—	—	—	—	2	—	—	1	2	1	1	1	—	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	1	2	2	1	5	—	1	3	—	2	3	3	—	2	4	6	1	1	1	1	3	5	3	2	—	2	1	—	—	—	1	1	—	1	—
—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	1	1	—	—	1	—	1	2	—	1	1	1	—	1	1	3	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	1	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	1	2	1	—	2	—	—	—	—	1	1	—	—	—
—	—	—	1	—	4	—	—	—	—	1	1	2	—	1	3	3	1	—	—	1	—	3	1	—	—	—	1	—	—	—	—	—	—	—	—
—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

No. 14.—*Return of* BIRTHS *and* DEATHS *in each Ward of the City of Adelaide, exclusive of Deaths in Public Institutions of persons not usually resident in the city, in the Year ending December 31st*, 1889.

—	Total.	Hindmarsh.	Gawler.	Grey.	Young.	Robe.	MacDonnell.
Area in acres	3,632	573	659	552	718	480	650
Estimated mean population	44,076	8,005	8,619	9,073	9,213	3,974	5,192
Persons to an acre	12·1	14·0	13·1	16·4	12·8	8·3	8·0
Births	1,051	199	139	225	296	88	104
Male	542	85	68	133	149	49	58
Female	509	114	71	92	147	39	46
Deaths	682	165	107	142	137	58	73
Male	363	96	63	59	68	38	39
Female	319	69	44	83	69	20	34
CLASSES.							
I. Specific febrile or zymotic diseases	85	18	9	22	18	5	13
II. Parasitic diseases	5	1	—	—	2	—	2
III. Dietic diseases	19	3	4	5	5	1	1
IV. Constitutional diseases	140	33	25	36	26	11	9
V. Developmental diseases	86	37	8	18	11	8	4
VI. Local diseases	267	58	44	48	58	27	32
VII. Violence	39	7	9	5	4	6	8
VIII. Ill-defined and not specified causes	41	8	8	8	13	—	4
Rate per 1,000 of mean population of each ward	15·47	20·61	12·41	15·65	14·87	14·59	14·06

Causes of Death Registered in the Year ended December 31st, 1889.

	Under One Year.	One Year and Above.
I.		
Measles	—	—
Scarlet fever	—	—
Relapsing fever	—	—
Influenza	—	—
Whooping-cough	—	—
Diphtheria	—	15
Simple and ill-defined fever	—	2
Enteric fever	1	14
Simple cholera	2	—
Diarrhœa, dysentery	26	12
Remittent fever	—	—
Venereal affections	5	6
Erysipelas	—	—
Pyæmia and septicæmia	—	1
Puerperal fever	—	1
Other zymotic diseases	—	—
II.		
Thrush	1	—
Worms and other parasitical diseases	—	4
III.		
Privation—want of breast milk	15	—
Alcoholism	—	4
IV.		
Rheumatic fever and rheumatism of heart	—	—
Rheumatism	—	5
Gout	—	3
Cancer, malignant disease	—	29
Tabes mesenterica	4	1
Tubercular meningitis	2	6
Phthisis	—	80
Scrofula, tuberculosis	—	8
Other constitutional diseases.	—	2
V.		
Premature birth	12	—
Cyanosis	—	—
Congenital defects	3	1
Old age	—	70
VI.		
Apoplexy	—	10
Epilepsy	—	1
Convulsions	11	1
Other diseases of brain and nervous system	5	38
Diseases of organ of special sense	—	—
Diseases of circulatory system	—	42
Croup	3	1
Bronchitis	13	15
Pneumonia	5	23
Pleurisy	—	1
Other diseases of respiratory system	1	9
Dentition	6	3
Quinsy, sore throat	—	—
Enteritis	6	6
Peritonitis	—	4
Diseases of liver	1	16
Other diseases of digestive system	1	9
Diseases of lymphatic systems and of ductless glands	—	3
Diseases of urinary system	—	16
Diseases of generative system	—	7
Accidents of childbirth	—	4
Diseases of locomotive system	—	5
Diseases of integumentary system	—	1
VII.		
(Accident.)		
Fracture and contusion	1	9
Gunshot wound	—	—
Cut, stab	—	—
Burn and scald	1	2
Poison	—	1
Drowning	—	12
Suffocation	5	1
Sunstroke	—	1
(Homicide.)		
Murder and manslaughter	—	—
(Suicide.)		
Gunshot wound	—	1
Cut, Stab	—	2
Poison	—	1
Drowning	—	—
Hanging	—	2
Otherwise	—	—
VIII.		
Dropsy	—	—
Debility, atrophy, inanition.	35	2
Mortification	—	—
Tumor	—	1
Abscess	—	—
Hæmorrhage	—	—
Sudden, cause unascertained.	1	—
Other ill-defined and not specified causes	2	—

No. 15.—*Return showing Number of Deaths in the Province from each cause in* 1889, *arranged in order of fatality, and each corresponding number in* 1888.

[An asterisk * indicates that the cause was not separately classed in 1888.]

Order of Fatality.	Cause of Death.	1889. Total.	1889. Under 5 years.	1889. 5 years and above.	1888.
1	Phthisis	289	4	285	365
2	Diarrhœa, dysentery	284	240	44	202
3	Old age	257	—	257	256
4	Debility, atrophy, inanition	201	192	9	215
5	Diseases of circulatory system (chiefly of heart) not separately classed	174	4	170	229
6	Pneumonia	142	66	76	174
7	Cancer, malignant disease	133	—	133	116
8	Enteric fever	128	12	116	108
9	Bronchitis	123	79	44	164
10	Diphtheria	109	63	46	139
11	Convulsions	91	89	2	108
12	Enteritis	82	69	13	61
13	Premature birth	81	81	—	92
14	Dentition	71	71	—	83
15	Apoplexy	70	2	68	95
16	Fracture and contusion (accidental)	68	5	63	80
17	Drowning (accidental)	63	12	51	62
18	Inflammation of the brain and its membranes	55	36	19	83
19	Bright's disease	46	—	46	36
	Tubercular meningitis (acute hydrocephalus)	46	35	11	43
20	Diseases of liver not separately classed	45	10	35	38
21	Croup	39	36	3	40
	Starvation, want of breast milk	39	34	5	38
	Insanity; general paralysis of insane	39	—	39	35
22	Diseases of nervous system not separately classed	35	18	17	43
23	Forms of tuberculosis not separately classed, scrofula	32	9	23	19
24	Paralysis undefined	26	1	25	*
25	Cirrhosis of liver	25	—	25	19
26	Diseases of respiratory system not separately classed	24	10	14	35
27	Endocarditis, valvular disease of heart	23	—	23	17
	Tabes mesenterica	23	22	1	20
28	Simple cholera	22	14	8	21
29	Burn, scald (accidental)	21	9	12	22
30	Pleurisy	20	2	18	14
	Anæmia, chlorosis, leucocythaemia	20	10	10	14
31	Disease of stomach	19	7	12	24
32	Diseases of bladder and prostate	18	—	18	12
	Peritonitis	18	1	17	26
33	Hemiplegia. brain paralysis	17	—	17	19
34	Ill-defined and unspecified causes not separately classed	16	9	7	9
	Paraplegia, disease of spinal cord	16	—	16	13
35	Hernia	15	3	12	1
36	Epilepsy	14	—	14	16
	Emphysema, asthma	14	1	13	18
	Ileus, obstruction of intestines	14	4	10	20
37	Chronic alcoholism	13	—	13	11
38	Suffocation (accidental)	12	9	3	10
39	Congenital defects, not separately classed	11	10	1	10
	Rheumatism (except of heart and rheumatic fever)	11	—	11	9
	Hydatid disease	11	—	11	13
40	Accidents of childbirth not separately classed	10	—	10	18
41	Syncope	9	1	8	10
	Laryngitis	9	6	3	17
	Diseases of digestive system (except liver) not separately classed	9	1	8	15
	Diseases of uterus and vagina	9	—	9	6
	Simple and ill-defined fever	9	2	7	12
	Rheumatic fever, rheumatism of the heart	9	—	9	8
42	Diabetes mellitus	8	—	8	5
	Aneurism	8	—	8	15
	Pyaemia, septicæmia	8	1	7	17
	Puerperal fever	8	—	8	13
	Sunstroke, heat-apoplexy	7	3	4	*
	Hanging (suicide)	7	—	7	11

No, 15.—*Return showing Number of* DEATHS *in Province, &c.*—contd.

Order of Fatality.	Cause of Death.	1889. Total.	1889. Under 5 years.	1889. 5 years and above.	1888.
	Embolism, thrombosis	7	—	7	8
	Ulceration of intestines	7	3	4	1
	Diseases of urinary system not separately classed	7	—	7	19
	Ovarian diseases	7	—	7	3
	Syphilis	7	6	1	8
	Erysipelas	7	3	4	10
	Thrush	7	7	—	8
43	Poisoning (accidental)	6	2	4	3
	Gunshot wounds (suicide)	6	—	6	7
	Dropsy undefined or ill-defined	6	1	5	7
	Softening of brain	6	—	6	13
	Puerperal convulsions	6	—	6	5
	Caries, necrosis	6	—	6	5
44	Accidents not separately classed	5	5	—	17
	Sore throat, quinsy	5	3	2	5
	Intussusception of intestine	5	2	3	9
	Acute nephritis	5	—	5	10
	Diseases of organs of locomotion not separately classed	5	—	5	10
	Gout	5	—	5	4
45	Abscess undefined or ill-defined	4	3	1	4
	Purpura, hæmorrhagic diathesis	4	3	1	3
	Cleft palate, harelip	4	4	—	1
	Pericarditis	4	—	4	9
	Dyspepsia	4	—	4	4
	Diseases of lymphatic system	4	—	4	2
	Placenta praevia, flooding	4	—	4	2
	Remittent fever	4	2	2	1
	Gonorrhœa, stricture of urethra	4	—	4	3
46	Cut, stab (suicide)	3	—	3	3
	Drowning (suicide)	3	—	3	2
	Tumor undefined or ill-defined	3	—	3	18
	Gallstones	3	—	3	2
	Uraemia	3	—	3	8
	Lupus	3	—	3	—
	Ulcer, bedsore	3	—	3	—
	Influenza	3	3	—	3
47	Lightning	2	—	2	*
	Poisoning (suicide)	2	—	2	8
	Sudden death (cause unascertained)	2	1	1	—
	Atelectasis	2	2	—	
	Constitutional diseases not separately classed	2	—	2	—
	Imperforate anus	2	2	—	—
	Spina bifida	2	2	—	2
	Idiopathic tetanus	2	1	1	4
	Hypertrophy of heart	2	—	2	3
	Angina pectoris	2	—	2	3
	Diseases of larynx and trachea (except croup and laryngitis)	2	—	2	—
	Hæmatemesis	2	—	2	—
	Ascites	2	—	2	3
	Diseases of spleen	2	—	2	2
	Arthritis, ostitis, periostitis	2	—	2	—
	Whooping cough	2	2	—	9
48	Cut, stab (accidental)	1	—	1	1
	Gunshot wounds (accidental)	1	—	1	4
	Bite of snake or insect	1	—	1	*
	Cyanosis	1	1	—	7
	Laryngismus stridulus	1	1	—	1
	Epistaxis and disease of nose	1	1	—	—
	Otitis otorrhœa	1	1	—	2
	Senile gangrene	1	—	1	2
	Bronchocele	1	—	1	—
	Addison's disease	1	—	1	—
	Suppression of urine	1	—	1	1
	Calculus (urinary)	1	—	1	3
	Pelvic abscess	1	—	1	1
	Puerperal mania	1	—	1	—
	Phlegmon, cellulitis	1	1	—	—
	Eczema	1	1	—	1
	Diseases of integumentary system not separately classed	1	1	—	3
	Measles	1	1	—	1
	Scarlet fever	1	1	—	3

No. 16.—*Decennial Return, showing the Total* Deaths *in each Class and Order Registered in the Province*

	1880.		1881.		1882.		1883.		1884.		1885.		1886.		1887.		1888.		1889.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	2,207	1,705	2,223	1,789	2,430	1,963	2,444	1,991	2,638	2,151	2,205	1,782	2,349	1,885	2,239	1,705	2,126	1,633	1,966	1,535
I.—Specific Febrile or Zymotic Diseases	332	386	365	364	434	412	437	464	499	467	358	362	363	330	343	321	289	261	316	281
II.—Parasitic Diseases	11	6	13	6	17	14	15	9	21	11	10	5	17	13	12	12	14	8	8	10
III.—Dietic Diseases	46	29	52	40	58	41	44	31	37	23	23	14	25	32	30	24	32	17	34	18
IV.—Constitutional Diseases	291	206	258	250	338	238	285	239	329	273	318	258	323	280	350	266	337	270	328	254
V.—Developmental Diseases	141	130	165	119	173	170	176	155	208	191	191	162	230	177	252	178	200	173	192	168
VI.—Local Diseases	996	725	996	811	1,039	845	1,114	858	1,108	927	951	756	980	833	904	721	930	737	804	648
VII.—Violence	168	48	175	58	167	43	157	45	195	44	177	35	216	56	186	43	179	55	162	46
VIII.—Ill-defined and not Specified Causes	222	175	199	141	204	200	216	190	241	215	177	190	195	164	162	140	145	112	122	110
I.																				
1. Miasmatic Diseases	133	186	152	149	152	158	161	198	232	251	180	170	161	148	147	105	157	118	126	127
2. Diarrhœal Diseases	181	176	188	182	262	220	256	225	245	193	167	167	177	151	176	185	117	106	173	133
3. Malarial Diseases	9	5	6	2	5	5	4	7	2	4	4	3	8	3	8	4	—	1	1	3
4. Zoogenous Diseases	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Venereal Diseases	8	3	10	10	2	5	5	5	11	6	–	1	7	4	4	6	9	2	7	4
6. Septic Diseases	1	16	9	20	13	24	11	29	9	13	7	21	10	24	8	21	6	34	9	14
II.																				
Parasitic Diseases	11	6	13	6	17	14	15	9	21	11	10	5	17	13	12	12	14	8	8	10
III.																				
Dietic Diseases	46	29	52	40	58	41	44	31	37	23	23	14	25	32	30	24	32	17	34	18
IV.																				
Constitutional Diseases	291	206	258	250	338	238	285	239	329	273	318	258	323	280	350	266	337	270	328	254
V.																				
Developmental Diseases	141	130	165	119	173	170	176	155	208	191	191	162	230	177	252	178	200	173	192	168
VI.																				
1. Diseases of Nervous System	243	185	293	234	331	242	313	244	332	218	252	186	272	238	256	202	256	177	220	152
2. Organs of Special Sense	—	1	—	—	—	2	—	—	—	—	—	2	5	1	—	5	3	1	2	—
3. Circulatory System	128	82	131	87	131	82	152	99	146	113	129	110	148	127	160	92	167	129	126	104
4. Respiratory System	386	257	328	237	334	239	391	276	358	290	314	226	273	181	238	168	251	211	212	161
5. Digestive System	182	132	192	159	185	177	197	155	191	207	197	138	207	194	193	155	181	134	173	153
6. Lymphatic System and Ductless Glands	2	—	—	—	1	1	1	1	5	2	1	—	3	3	2	1	4	—	6	2
7. Urinary System	40	22	40	18	43	19	42	19	58	34	45	28	52	36	42	33	54	35	54	27
8. Reproductive System—																				
(a) Diseases of Organs of Generation	—	5	—	12	—	11	—	11	—	13	—	11	—	12	—	12	1	10	—	17
(b) Diseases of Parturition	—	35	—	56	—	61	—	43	—	42	—	48	—	29	—	46	—	30	—	21
9. Organs of Locomotion	5	3	7	2	9	6	12	8	14	4	9	3	12	7	9	4	9	6	7	6
10. Integumentary System	10	3	5	6	5	5	6	2	4	4	4	4	8	5	4	3	4	4	4	5
VII.																				
1. Accident or Negligence	146	40	138	54	148	38	131	36	167	36	144	27	190	50	163	35	155	44	145	42
2. Homicide	3	2	5	1	3	3	2	—	4	1	6	3	1	—	1	1	2	2	—	—
3. Suicide	19	6	31	3	16	2	22	9	24	7	27	5	25	6	22	7	22	9	17	4
4. Execution	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII																				
Ill-defined and not specified causes	222	175	199	141	204	200	216	190	241	215	177	190	195	164	162	140	145	112	122	110

No. 16.—*Decennial Return, showing the Causes of* Deaths *registered in the Province*—continued.

Class.	Cause of Death.	1880.		1881.		1882.		1883.		1884.		1885.		1886.		1887.		1888.		1889.	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
I.	*Miasmatic Diseases.*																				
	Measles	2	7	33	39	2	9	7	5	60	79	5	1	3	—	2	—	1	—	—	1
	Epidemic Rose Rash	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Scarlet Fever	42	63	26	24	12	22	6	18	13	16	3	1	7	6	3	4	1	2	1	—
	Influenza	3	3	2	—	—	2	2	3	—	—	2	1	4	1	—	—	2	1	2	1
	Whooping Cough	12	26	8	19	17	26	60	68	19	34	41	49	38	55	16	14	2	7	—	2
	Mumps	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
	Diphtheria	43	50	33	25	33	34	26	23	58	53	56	46	48	41	26	33	74	65	51	58
	Simple and ill-defined Fever	1	2	2	3	2	5	2	4	8	9	9	4	8	5	6	4	7	5	6	3
	Enteric Fever	30	33	47	38	86	60	58	77	74	60	64	68	53	40	94	49	70	38	66	62
	Diarrhœal Diseases.																				
	Simple Cholera	10	13	13	13	15	10	13	12	10	6	13	6	13	8	11	15	15	6	12	10
	Diarrhœa, Dysentery	171	163	175	169	247	210	243	213	235	187	154	161	164	143	165	170	102	100	161	123
	Malarial Diseases.																				
	Remittent Fever	9	5	6	2	5	5	4	7	2	4	4	3	8	3	8	4	—	1	1	3
	Zoogenous Diseases.																				
	Glanders	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Venereal Diseases.																				
	Syphilis	6	3	7	10	2	5	5	5	7	6	—	1	4	4	4	6	6	2	3	4
	Gonorrhœa, Stricture of Urethra	2	—	3	—	—	—	—	—	3	—	—	—	3	—	—	—	3	—	4	—
	Septic Diseases.																				
	Erysipelas	1	7	7	10	9	10	8	12	9	2	5	7	5	5	6	1	4	6	6	1
	Pyæmia, Septicæmia	—	5	2	3	4	5	3	11	—	4	2	9	5	12	2	12	2	15	3	5
	Puerperal Fever	—	4	—	7	—	9	—	6	—	7	—	5	—	7	—	8	—	13	—	8
II.	*Parasitic Diseases.*																				
	Thrush	10	4	6	4	9	8	9	8	10	7	6	4	8	2	8	7	5	3	3	4
	Hydatid Disease	1	2	—	—	7	5	6	—	10	3	4	1	8	10	4	5	9	4	5	6
	Other Diseases from Animal Parasites	—	—	7	2	1	1	—	1	1	1	—	—	1	1	—	—	—	1	—	—
III.	*Dietic Diseases.*																				
	Starvation, Want of Breast Milk	33	22	40	32	51	33	36	29	25	19	16	13	19	25	20	19	23	15	24	15
	Scurvy	3	3	1	2	1	2	—	—	2	2	—	—	—	—	—	—	—	—	—	—
	Intemperance { Chronic Alcholism	7	4	10	6	6	6	6	1	5	2	4	1	5	6	9	4	9	2	10	3
	Intemperance { Delirium Tremens	3	—	1	—	—	—	2	1	5	—	3	—	1	1	1	1	—	—	—	—
IV.	*Constitutional Diseases.*																				
	Rheumatic Fever, Rheumatism of Heart	—	—	—	—	—	—	—	—	6	3	5	4	1	5	3	5	5	3	7	2
	Rheumatism	10	10	11	12	16	3	5	9	10	9	10	5	6	3	4	3	5	4	6	5
	Gout	1	1	1	1	3	—	3	—	1	1	2	—	3	—	2	—	3	1	4	1
	Cancer, Malignant Disease	39	35	46	45	52	37	47	39	58	51	52	48	46	58	59	51	49	67	67	66
	Tabes Mesenterica	29	25	26	24	26	24	21	26	36	25	25	25	25	18	26	11	13	7	15	8
	Tubercular Meningitis (Acute Hydrocephalus)	25	14	25	12	25	18	14	18	21	26	35	25	37	22	34	29	28	15	25	21
	Phthisis	169	108	137	137	194	147	176	137	178	145	168	139	182	157	199	154	208	157	166	123
	Other forms of Tuberculosis, Scrofula	7	4	5	9	6	5	8	5	7	1	11	1	7	9	5	10	12	7	19	13
	Anæmia, Chlorosis, Leucocythæmia	4	5	3	4	4	2	5	3	9	8	9	8	6	1	10	2	9	5	10	10
	Diabetes Mellitus	3	2	3	3	3	1	2	1	1	1	1	2	3	5	7	1	3	2	5	3
	Other Constitutional Diseases	4	2	1	3	9	1	4	1	2	3	—	1	7	2	1	—	2	2	4	2

No. 16.—*Decennial Return, showing the Causes of* DEATHS *registered in the Province*—continued.

Class.	Cause of Death.	1880.		1881.		1882.		1883.		1884.		1885.		1886.		1887.		1888.		1889.	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
V.	*Developmental Diseases.*																				
	Premature Birth	45	34	53	39	59	72	60	51	61	41	53	35	48	45	59	41	48	44	44	37
	Atelectasis	—	—	—	—	—	—	—	—	2	—	4	1	—	—	2	2	2	3	2	—
	Cyanosis	2	4	2	2	4	4	3	3	2	4	3	5	2	4	1	1	5	2	1	—
	Spina Bifida	1	—	4	3	—	1	2	4	—	—	—	2	3	1	1	2	—	2	—	2
	Imperforate Anus	—	—	—	—	1	—	—	—	2	—	1	—	1	1	2	2	—	—	2	—
	Cleft Palate, Harelip	1	—	1	1	—	1	—	—	—	—	1	—	1	—	3	—	1	—	3	1
	Other Congenital Defects	13	5	7	3	8	5	8	1	5	5	7	7	10	9	7	3	2	8	7	4
	Old Age	79	87	98	71	101	87	103	96	136	141	122	112	165	117	177	127	142	114	133	124
VI.	*Diseases of Nervous System.*																				
	Inflammation of Brain or its Membranes	24	24	23	32	40	30	35	32	45	28	43	29	37	48	45	30	47	36	34	21
	Apoplexy	47	34	48	28	44	39	46	36	48	24	35	23	44	28	35	29	56	39	42	28
	Softening of Brain	3	4	4	3	8	2	—	—	13	2	13	5	9	5	4	1	5	8	5	1
	Hemiplegia, Brain Paralysis	33	12	45	25	38	25	33	21	32	13	24	13	20	18	17	18	11	8	11	6
	Insanity, General Paralysisof Insane	4	3	3	—	1	2	5	3	9	1	11	7	22	13	30	17	21	14	26	13
	Chorea	—	—	—	—	—	1	—	1	1	1	—	—	1	—	—	—	—	1	—	—
	Epilepsy	13	6	15	15	12	8	8	5	12	10	6	6	14	9	12	12	7	9	3	11
	Convulsions	74	61	91	86	106	74	115	100	96	92	84	77	93	84	79	66	71	37	48	43
	Laryngismus Stridulus	—	—	—	—	2	—	—	—	—	—	—	—	—	1	1	—	—	1	1	—
	Idiopathic Tetanus	2	—	1	1	1	1	—	—	2	—	2	—	—	—	1	2	1	3	1	1
	Paraplegia, Disease of Spinal Cord	1	—	—	1	2	1	—	—	7	1	7	11	8	3	8	5	12	1	11	5
	Other Diseases of Nervous System	42	41	63	43	77	59	71	46	67	46	27	15	24	29	24	22	25	20	38	23
	Diseases of Organs of Special Sense.																				
	Otitis, Otorrhœa	—	1	—	—	—	1	—	—	—	—	—	—	5	1	—	1	2	—	1	—
	Ophthalmia and Disease of Eye	—	—	—	—	—	1	—	—	—	—	—	2	—	—	—	2	1	1	—	—
	Epistaxis and Disease of Nose	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—
	Diseases of Circulatory System.																				
	Endocarditis, Valvular Disease	1	—	1	—	—	—	—	—	9	5	22	18	9	14	14	2	12	5	12	11
	Pericarditis	3	3	2	7	8	1	6	2	6	8	3	9	5	—	—	1	5	4	2	2
	Hypertrophy of Heart	—	—	—	—	1	—	—	—	9	8	17	11	3	3	—	2	3	—	2	—
	Angina Pectoris	1	1	2	—	3	1	1	1	1	1	2	—	2	—	1	1	3	—	2	—
	Syncope	1	2	1	—	1	3	2	1	6	1	6	2	2	3	7	2	5	5	5	4
	Aneurism	11	1	10	3	16	—	13	1	11	1	9	5	8	3	9	1	15	—	7	1
	Senile Gangrene	2	—	—	—	1	1	1	1	—	1	6	5	2	—	1	1	1	1	—	1
	Embolism, Thrombosis	2	—	1	4	—	2	—	—	1	1	1	5	2	4	4	6	3	5	2	5
	Phlebitis	—	—	—	—	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	Varicose Veins	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	1	—	—	—	—
	Other Diseases of Circulatory System	107	75	114	72	100	73	129	93	102	87	63	55	115	98	124	75	120	109	94	80
	Diseases of Respiratory Organs.																				
	Laryngitis	4	6	4	7	12	1	8	4	1	1	6	7	9	3	6	2	8	9	3	6
	Croup	53	50	38	27	58	41	63	45	37	48	48	38	16	12	21	7	19	21	24	15
	Other diseases of Larynx and Trachea	—	—	—	—	—	—	—	—	—	8	—	—	2	—	2	2	—	—	—	2
	Emphysema, Asthma	6	6	13	4	9	6	14	7	17	4	11	7	9	3	9	5	9	9	7	7
	Bronchitis	194	129	125	102	105	100	117	109	118	104	77	84	89	71	63	55	86	78	71	52
	Pneumonia	92	47	114	70	108	64	138	83	134	95	142	75	111	69	107	72	102	72	81	61
	Pleurisy	9	5	11	6	10	6	9	4	7	2	9	3	14	6	6	6	7	7	13	7
	Other Diseases of Respiratory System	28	14	23	21	32	21	42	24	44	28	21	12	23	17	24	19	20	15	13	11
	Diseases of Digestive System.																				
	Stomatitis	—	—	—	2	—	—	1	1	—	1	2	2	1	1	2	1	—	2	—	—
	Dentition	38	42	48	32	44	47	45	42	49	52	52	27	51	50	56	52	47	36	34	37
	Sore Throat, Quinsy	5	8	2	3	3	1	1	—	1	2	1	1	7	3	1	2	1	4	4	1
	Dyspepsia	—	—	—	—	—	—	1	—	2	—	4	—	1	4	2	2	3	1	3	1
	Hæmatemesis	—	—	3	1	—	—	2	—	3	1	2	1	—	1	1	—	—	—	1	1
	Melæna	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—
	Disease of Stomach	9	5	10	6	8	12	12	10	13	14	10	8	11	9	13	19	14	10	9	10

No. 16.—*Decennial Return, showing the Causes of* Deaths *registered in the Province*—continued.

Class.	Cause of Death.	1880.		1881.		1882.		1883.		1884.		1885.		1886.		1887.		1888.		1889.	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	Diseases of Digestive System—contd.																				
	Enteritis	18	20	21	17	47	35	43	27	43	43	29	35	48	46	46	29	34	27	43	39
	Ulceration of Intestine	1	4	2	8	4	1	1	1	3	3	3	—	1	1	3	2	1	—	3	4
	Ileus, Obstruction of Intestine	4	3	9	4	7	5	3	—	4	7	5	4	14	4	4	6	11	9	11	3
	Stricture or Strangulation of Intestine	2	—	4	1	2	—	3	3	2	1	1	—	3	—	—	1	—	—	—	—
	Intussusception of Intestine	1	—	2	3	—	—	4	5	3	3	3	2	2	1	—	—	5	4	4	1
	Hernia	17	6	10	6	3	1	4	2	4	6	3	5	4	8	5	7	—	1	11	4
	Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	Peritonitis	20	15	20	24	14	27	22	26	18	28	20	8	17	15	16	8	14	12	6	12
	Ascites	3	1	2	1	1	2	2	2	—	2	2	2	3	3	—	2	2	1	1	1
	Gallstones	—	—	—	1	—	—	—	—	2	3	1	—	1	3	—	1	1	1	—	3
	Cirrhosis of Liver	9	1	9	7	11	6	4	6	16	11	24	12	11	11	8	7	12	7	15	10
	Other Diseases of Liver	43	24	35	36	31	28	41	26	25	25	25	25	23	27	32	15	24	14	24	21
	Other Diseases of Digestive System	12	3	13	7	10	12	8	4	3	5	10	6	9	6	4	1	10	5	4	5
	Diseases of Lymphatic System and Ductless Glands.																				
	Diseases of Lymphatic System	—	—	—	—	—	—	—	—	1	—	—	—	3	2	2	—	2	—	4	—
	Diseases of Spleen	1	—	—	—	1	1	1	1	3	1	—	—	—	—	—	1	2	—	1	1
	Bronchocele	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	1
	Addison's Disease	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—
	Diseases of Urinary System.																				
	Acute Nephritis	9	1	4	1	5	3	5	3	10	6	4	5	11	9	8	5	8	2	—	5
	Bright's Disease	9	10	11	12	17	10	15	4	16	12	16	10	22	12	16	19	16	20	31	15
	Uræmia	—	3	1	1	1	—	2	2	2	9	2	3	3	7	2	—	4	4	1	2
	Suppression of Urine	—	—	—	—	1	—	1	1	4	—	—	—	—	—	—	—	1	—	1	—
	Calculus	4	1	—	—	—	—	—	—	4	—	2	—	2	—	1	—	1	2	—	1
	Hæmaturia	—	—	—	—	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
	Diseases of Bladder and of Prostate	10	2	10	—	2	1	10	2	12	—	13	—	7	2	10	2	12	—	17	1
	Other Diseases of Urinary System	8	5	14	4	16	5	9	7	9	6	8	10	7	6	5	7	12	7	4	3
	Diseases of Organs of Generation.																				
	Ovarian Disease	—	2	—	3	—	2	—	3	—	6	—	3	—	5	—	3	—	3	—	7
	Diseases of Uterus and Vagina	—	3	—	7	—	9	—	8	—	5	—	7	—	7	—	8	—	6	—	9
	Disorders of Menstruation	—	—	—	2	—	—	—	—	—	2	—	—	—	—	—	1	—	—	—	—
	Pelvic Abscess	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	1
	Diseases of testes, scrotum, &c.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
	Diseases of Parturition.																				
	Abortion, Miscarriage	—	1	—	1	—	—	—	—	—	6	—	3	—	3	—	3	—	3	—	—
	Puerperal Mania	—	—	—	—	—	—	—	2	—	2	—	5	—	3	—	2	—	—	—	1
	Puerperal Convulsions	—	1	—	5	—	4	—	—	—	3	—	12	—	4	—	10	—	5	—	6
	Placenta Prævia, Flooding	—	1	—	5	—	2	—	2	—	7	—	6	—	3	—	9	—	2	—	4
	Phlegmasia Dolens	—	1	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	2	—	—
	Other Accidents of Childbirth	—	31	—	45	—	55	—	39	—	24	—	19	—	16	—	21	—	18	—	10
	Diseases of Organs of Locomotion.																				
	Caries, Necrosis	1	—	1	—	2	1	4	1	2	—	1	1	4	3	4	—	3	2	3	3
	Arthritis, Ostitis, Periostitis	2	—	—	—	1	—	—	2	2	—	2	—	2	—	1	—	—	—	1	1
	Other Diseases of Organs of Locomotion	2	3	6	2	6	5	8	5	10	4	6	2	6	4	4	4	6	4	3	2
	Diseases of Integumentary System.																				
	Carbuncle	1	—	2	—	—	1	1	1	—	—	1	—	—	1	—	—	1	2	—	—
	Phlegmon, Cellulitis	1	—	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—
	Lupus	—	—	—	—	1	—	—	—	1	—	—	—	—	1	1	—	—	—	1	2
	Ulcer, Bedsore	5	1	1	3	1	3	2	1	—	2	—	—	2	1	1	1	—	—	—	3
	Eczema	1	1	—	—	1	—	1	—	1	—	—	4	5	1	2	—	1	—	1	—
	Pemphigus	—	1	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	1	—	—
	Other Diseases of Integumentary System	2	—	1	2	1	—	1	—	1	2	3	—	1	1	—	1	2	1	1	—

No. 16.—*Decennial Return, showing the Causes of* DEATHS *registered in the Province*—continued.

Class.	Cause of Death.	1880.		1881.		1882.		1883.		1884.		1885.		1886.		1887.		1888.		1889.	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
VII.	*Accident or Negligence.*																				
	Fracture and Contusion	86	10	76	9	68	7	66	13	70	8	80	8	82	13	60	13	66	14	58	10
	Gunshot Wounds	2	1	3	1	4	1	2	—	10	—	7	—	5	—	6	—	4	—	1	—
	Cut, Stab	1	—	—	—	2	—	1	—	1	—	1	—	1	—	—	—	1	—	1	—
	Burn, Scald	6	16	7	21	9	10	10	11	8	18	8	6	11	16	8	11	7	15	10	11
	Poison	3	1	5	3	4	2	5	3	3	—	1	2	6	3	2	—	2	1	5	2
	Drowning	40	7	30	13	38	8	31	8	48	7	33	6	42	6	57	2	54	8	55	8
	Suffocation	5	4	11	5	14	8	9	1	9	1	2	4	10	3	10	3	8	2	8	4
	Otherwise	3	1	6	2	9	2	7	—	18	2	12	1	33	9	20	6	13	4	7	7
	Homicide.																				
	Murder, Manslaughter	3	2	5	1	3	3	2	—	4	1	6	3	1	—	1	1	2	2	—	—
	Suicide.																				
	Gunshot Wounds	6	1	6	—	3	—	—	—	3	—	9	—	5	—	6	—	5	2	6	—
	Cut, Stab	5	—	7	1	6	2	4	1	5	—	3	1	5	2	5	1	2	1	2	1
	Poison	3	—	2	—	1	—	6	—	7	1	1	2	3	2	5	2	5	3	2	—
	Drowning	2	4	4	1	3	—	5	5	3	5	5	1	5	1	1	2	1	1	2	1
	Hanging	3	1	11	1	3	—	7	2	6	1	9	1	6	1	5	2	9	2	5	2
	Otherwise	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—
	Execution.																				
	Hanging	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII.	*Ill-defined and Not Specified Causes.*																				
	Dropsy	22	21	14	15	11	11	17	14	22	14	8	14	7	7	2	5	4	3	5	1
	Debility, Atrophy, Inanition	165	147	153	117	170	167	184	169	193	187	148	159	169	146	144	120	125	90	104	97
	Mortification	3	1	6	2	1	5	3	3	4	1	4	4	2	1	1	—	—	1	—	—
	Tumor	2	2	5	2	6	9	—	4	3	6	7	6	3	7	1	5	9	9	3	—
	Abscess	4	—	4	2	7	6	5	—	6	5	6	3	7	1	6	4	1	3	1	3
	Hæmorrhage	—	2	6	2	1	1	2	—	4	2	2	2	4	2	5	5	2	1	—	—
	Sudden (cause unascertained)	8	1	2	—	—	—	—	—	4	—	1	—	—	—	—	—	—	—	1	1
	Other Ill-defined and not Specified Causes	18	1	9	1	8	1	5	—	5	—	1	2	3	—	3	1	4	5	8	8

No. 17.—*Return showing the Number of Persons Married at different Ages in the Province in the Year* 1889.

Ages	Under 20		25		30		35		40		45		50		55		60		65		70		70 and upwards.		Full.		Under.		Total.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Total.
Celebrated in Quarter ended—																															
March 31	6	74	178	272	179	101	82	34	22	13	22	9	7	3	8	4	3	—	4	1	1	1	2	1	2	3	—	—	516	516	1,032
June 30	2	77	173	260	190	117	85	37	32	10	16	7	12	7	—	2	5	2	5	1	1	1	—	—	—	—	—	—	521	521	1,042
Sept. 30	7	69	153	242	180	108	75	27	24	10	13	10	12	4	6	3	2	4	2	1	4	—	1	—	—	—	—	1	479	479	958
Dec. 31	13	86	174	268	185	133	94	26	38	15	16	9	14	7	5	1	2	—	1	1	2	—	2	—	—	—	—	—	546	546	1,092
Total	28	306	678	1042	734	459	336	124	116	48	67	35	45	21	19	10	12	6	12	4	8	2	5	1	2	3	—	1	2,062	2,062	4,124
Widowers and Spinsters	—	10	3	42	22	46	33	17	27	14	20	10	24	6	10	1	7	1	2	1	1	—	—	—	—	—	—	1	149	149	298
Widowers and Widows	—	—	—	—	—	3	3	7	6	7	11	13	7	11	7	6	3	4	8	3	6	1	5	1	—	—	—	—	56	56	112
Bachelors and Widows	—	—	10	11	17	13	17	25	15	11	7	9	5	2	2	3	1	1	2	—	—	1	—	—	—	—	—	—	76	76	152
Signatures by mark	—	1	11	12	18	6	6	3	4	5	2	8	2	4	1	4	3	1	—	1	2	—	—	—	—	—	—	—	49	45	94

No. 18.—*Return showing Number of Deaths in the Province from each cause during the Ten Years* 1880-1889, *arranged in order of fatality.*

Order of Fatality.	Causes of Death.	Total.	Males.	Females.
1	Diarrhœa, dysentery	3,456	1,817	1,639
2	Phthisis	3,181	1,777	1,404
3	Debility, atrophy, inanition	2,954	1,555	1,399
4	Old age	2,332	1,256	1,076
5	Bronchitis	1,929	1,045	884
6	Diseases of circulatory system (chiefly of heart) not separately classed	1,885	1,068	817
9	Pneumonia	1,837	1,129	708
8	Convulsions	1,577	857	720
9	Enteric fever	1,167	642	525
10	Cancer, malignant disease	1,012	515	497
11	Premature birth	969	530	439
12	Dentition	881	464	417
13	Diphtheria	878	448	430
14	Fracture and contusion (accidental)	817	712	105
15	Diseases of nervous system not separately classed	802	458	344
16	Apoplexy	753	445	308
17	Enteritis	690	372	318
18	Inflammation of brain and its membranes	683	373	310
14	Croup	681	377	304
20	Diseases of liver not separately classed	544	303	241
21	Whooping cough	513	213	300
22	Starvation, want of breast milk	509	287	222
23	Drowning (accidental)	501	428	73
24	Tubercular meningitis (acute hydrocephalus)	469	269	200
25	Diseases of respiratory system not separately classed	452	270	182
26	Tabes mesenterica	435	242	193
27	Hemiplegia	423	264	159
28	Peritonitis	342	167	175
29	Bright's disease	293	169	124
30	Accidents of childbirth not separately classed	278	—	278
31	Scarlet fever	270	114	156
32	Measles	256	115	141
33	Simple cholera	224	125	99
34	Burns, scalds (accidental)	219	84	135
35	Dropsy, undefined or ill-defined	217	112	105
36	Disease of stomach	212	109	103
37	Insanity, general paralysis of insane	205	132	73
38	Cirrhosis of liver	197	119	78
39	Epilepsy	193	102	91
40	Accidents not separately classed	162	128	34
	Emphysema, asthma	162	104	58
41	Diseases of urinary system not separately classed	152	92	60
42	Forms of tuberculosis not separately classed, scrofula	151	87	64
43	Pleurisy	147	95	52
44	Rheumatism (except of heart and rheumatic fever)	146	83	63
45	Diseases of digestive system not separately classed	137	83	54
46	Endocarditis, valvular disease of heart	135	80	55
47	Aneurism	125	109	16
	Thrush	125	74	51
48	Congenital defects not separately classed	124	74	50
49	Erysipelas	121	60	61
	Suffocation (accidental)	121	86	35
50	Anæmia, chlorosis, leucocythæmia	117	69	48
	Ileus, obstruction of intestines	117	72	45
51	Disease of bladder and prostate	113	103	10
52	Laryngitis	107	61	46
	Hernia	107	61	46
53	Chronic alcoholism	106	71	35
54	Pyæmia, septicæmia	104	23	81
	Acute nephritis	104	64	40
55	Simple and ill-defined fevers	95	51	44
	Softening of brain	95	64	31
56	Diseases of organs of locomotion not separately classed	92	57	35
57	Hydatid disease	90	54	36
	Syphilis	90	44	46
58	Tumor undefined or ill-defined	89	39	50
59	Paraplegia, disease of spinal cord	84	56	28
	Remittent fever	84	47	37
60	Ill-defined and unspecified causes not separately classed	83	64	19
61	Hanging (suicide)	77	64	13
	Pericarditis	77	40	37
62	Puerperal fever	74	—	74
	Abscess undefined or ill-defined	74	47	27
63	Diseases of uterus and vagina	69	—	69

No. 18.—*Return showing Number of Deaths in Province, &c.*—contd.

Order of Fatality.	Causes of Death.	Total.	Males.	Females.
64	Syncope	59	36	23
	Hypertrophy of heart	59	35	24
65	Cut, stab (suicide)	54	44	10
	Cyanosis	54	25	29
66	Poisoning (accidental)	53	36	17
67	Gunshot wound (suicide)	52	49	3
	Diabetes mellitus	52	31	21
	Drowning (suicide)	52	31	21
68	Constitutional diseases not separately classed	51	34	17
	Sore throat, quinsy	51	26	25
69	Puerperal convulsions	50	—	50
70	Uræmia	49	18	31
	Rheumatic fever, rheumatism of heart	49	27	22
71	Embolism, thrombosis	48	16	32
72	Gunshot wounds (accidental)	47	44	3
73	Ulceration of intestines	46	22	24
74	Poisoning (suicide)	45	35	10
75	Intussusception of intestines	43	24	19
	Hæmorrhage undefined or ill-defined	43	26	17
76	Mortification undefined or ill-defined	42	24	18
77	Placenta prævia, flooding	41	—	41
78	Murder, manslaughter	40	27	13
79	Ovarian diseases	37	—	37
80	Caries, necrosis	36	25	11
81	Ascites	33	16	17
82	Influenza	29	17	12
83	Gout	28	23	5
	Spine bifida	28	11	17
84	Ulcers, bedsores	27	12	15
85	Senile gangrene	25	14	11
86	Dyspepsia	24	16	8
87	Angina pectoris	23	18	5
	Stricture or strangulation of intestines	23	17	6
88	Diseases of integumentary system not separately classed	20	13	7
	Abortion, miscarriage	20	—	20
89	Gonorrhœa, stricture of urethra	19	19	—
	Idiopathic tetanus	19	11	8
	Eczema	19	13	6
	Delirium tremens	19	16	3
90	Atelectasis	18	12	6
	Calculus (urinary)	18	14	4
	Sudden death (cause unascertained)	18	16	2
91	Diseases from animal parasites not separately classed	17	10	7
	Hæmatemesis	17	12	5
	Gallstones	17	5	12
92	Scurvy	16	7	9
	Stomatitis	16	6	10
	Diseases of larynx and trachea (except croup and laryngitis)	16	4	12
93	Puerperal mania	15	—	15
94	Diseases of lymphatic system	14	12	2
	Diseases of spleen	14	9	5
	Arthrites, ostitis, periostitis	14	11	3
	Cleft palate, harelip	14	11	3
95	Imperforate anus	12	9	3
	Otitis, otorrhœa	12	8	4
96	Carbuncle	11	6	5
97	Suppression of urine	9	8	1
	Cut, stab (accidental)	9	9	—
98	Ophthalmia, disease of eye	7	1	6
	Phlegmasia dolens	7	—	7
	Lupus	7	4	3
99	Chorea	6	2	4
	Laryngismus stridulus	6	4	2
	Phlegmon, cellulitis	6	4	2
100	Disorders of menstruation	5	—	5
	Pemphigus	5	2	3
101	Varicose viens	4	1	3
	Melæna	4	4	—
	Bronchocele	4	2	2
102	Epistaxis, disease of nose	3	1	2
	Phlebitis	3	1	2
	Addison's disease	3	2	1
	Hæmaturia	3	2	1
	Pelvic abscess	3	—	3
	Suicides not separately classed	3	2	1
	Hanging (execution)	3	3	—
103	Mumps	2	1	1
104	Diseases of testes, scrotum, &c.	1	1	—
	Fistula	1	—	1
	Glanders	1	—	1
	Epidemic rose rash	1	—	1

No. 19.—*Return showing the Total Number of Deaths in the Province from each Cause during Ten Years*, 1880-89.

Class.	Causes of Death.	Total.	Males.	Females.
	ALL CAUSES	40,966	22,827	18,139
I.	SPECIFIC FEBRILE OR ZYMOTIC DISEASES	7,384	3,736	3,648
II.	PARASITIC DISEASES	232	138	94
II.	DIETIC DISEASES	650	381	269
V.	CONSTITUTIONAL DISEASES	5,691	3,157	2,534
V.	DEVELOPMENTAL DISEASES	3,551	1,928	1,623
VI.	LOCAL DISEASES	17,683	9,822	7,861
VII.	VIOLENCE	22,55	1,782	473
VIII.	ILL-DEFINED AND NOT SPECIFIED CAUSES	3,520	1,883	1,637
	I.			
	1. Miasmatic Diseases	3,211	1,601	1,610
	2. Diarrhœal Diseases	3,680	1,942	1,738
	3. Malarial Diseases	84	47	37
	4. Zoogenous Diseases	1	—	1
	5. Venereal Diseases	109	63	46
	6. Septic Diseases..	299	83	216
	II.			
	Parasitic Diseases	232	138	94
	III.			
	Dietic Diseases	650	381	269
	IV.			
	Constitutional Diseases	5,691	3,157	2,534
	V.			
	Developmental Diseases	3,551	1,928	1,623
	VI.			
	1. Diseases of Nervous System	4,846	2,768	2,078
	2. " Organs of Special Sense	22	10	12
	3. " Circulatory System	2,443	1,418	1,025
	4. " Respiratory System	5,331	3,085	2,246
	5. " Digestive System	3,502	1,898	1,604
	6. " Lymphatic System and Ductless Glands	35	25	10
	7. " Urinary System	741	470	271
	8. " Reproductive System—			
	(a) Diseases of Organs of Generation	115	1	114
	(b) Diseases of Parturition	411	—	411
	9. " Organs of Locomotion	142	93	49
	10. " Integumentary System	95	54	41
	VII.			
	1. Accident or Negligence	1,929	1,527	402
	2. Homicide	40	27	13
	3. Suicide	283	225	58
	4. Execution	3	3	—
	VIII.			
	Ill-defined and Specified Causes	3,520	1,883	1,637
I.	*Miasmatic Diseases.*			
	Measles	256	115	141
	Epidemic Rose Rash	1	—	1
	Scarlet Fever	270	114	156
	Influenza	29	17	12
	Whooping-cough	513	213	300
	Mumps	2	1	1
	Diphtheria	878	448	430
	Simple and ill-defined ever	95	51	44
	Enteric Fever	1,167	642	525
	Diarrhœal Diseases.			
	Simple Cholera	224	125	99
	Diarrhœa, Dysentery	3,456	1,817	1,639

No. 19.—*Return of the Total Number of Deaths, &c.*—continued.

Class.	Cause of Death.	Total.	Males.	Females.
	Malarial Diseases.			
	Remittent Fever	84	47	37
	Zoogenous Diseases.			
	Glanders	1	—	1
	Venereal Diseases.			
	Syphilis	90	44	46
	Gonorrhœa, Stricture of Urethra	19	19	—
	Septic Diseases.			
	Erysipelas	121	60	61
	Pyæmia, Septicæmia	104	23	81
	Puerperal Fever	74	—	74
II.	*Parasitic Diseases.*			
	Thrush	125	74	51
	Hydatid Disease	90	54	36
	Other Diseases from Animal Parasites	17	10	7
III.	*Dietic Diseases.*			
	Starvation, Want of Breast Milk	509	287	222
	Scurvy	16	7	9
	Intemperance { Chronic Alcoholism	106	71	35
	Intemperance { Delirium Tremens	19	16	3
IV.	*Constitutional Diseases.*			
	Rheumatic Fever, Rheumatism of Heart	49	27	22
	Rheumatism	146	83	63
	Gout	28	23	5
	Cancer, Malignant Disease	1,012	515	497
	Tabes Mesenterica	435	242	193
	Tubercular Meningitis (Acute Hydrocephalus)	469	269	200
	Phthisis	3,181	1,777	1,404
	Other forms of Tuberculosis, Scrofula	151	87	64
	Anæmia, Chlorosis, Leuccocythæmia	117	69	48
	Diabetes Mellitus	52	31	21
	Other Constitutional Diseases	51	34	17
V.	*Developmental Diseases.*			
	Premature Birth	969	530	439
	Atelectasis	18	12	6
	Cyanosis	54	25	29
	Spina Bifida	28	11	17
	Imperforate Anus	12	9	3
	Cleft Palate, Harelip	14	11	3
	Other Congenital Defects	124	74	50
	Old Age	2,332	1,256	1,076
VI.	*Diseases of Nervous System.*			
	Inflammation of Brain or its Membranes	683	373	310
	Apoplexy	753	445	308
	Softening of Brain	95	64	31
	Hemiplegia	423	264	159
	Insanity, General Paralysis of Insane	205	132	73
	Chorea	6	2	4
	Epilepsy	193	102	91
	Convulsions	1,577	857	720
	Laryngismus Stridulus	6	4	2
	Idiopathic Tetanus	19	11	8
	Paraplegia, Disease of Spinal Cord	84	56	28
	Other Diseases of Nervous System	802	458	344
	Diseases of Organs of Special Sense.			
	Otitis, Otorrhœa	12	8	4
	Ophthalmia and Disease of Eye	7	1	6
	Epistaxis, Disease of Nose	3	1	2
	Diseases of Circulatory System.			
	Endocarditis, Valvular Disease	135	80	55

No. 19.—*Return of the Total Number of Deaths, &c.*—continued.

Class.	Cause of Death.	Total.	Males.	Females.
	Diseases of Circulatory System—continued.			
	Pericarditis	77	40	37
	Hypertrophy of Heart	59	35	24
	Angina Pectoris	23	18	5
	Syncope	59	36	23
	Aneurism	125	109	16
	Senile Gangrene	25	14	11
	Embolism, Thrombosis	48	16	32
	Plebitis	3	1	2
	Varicose Veins	4	1	3
	Other Diseases of Circulatory System	1,885	1,068	817
	Diseases of Respiratory Organs.			
	Laryngitis	107	61	46
	Croup	681	377	304
	Other Diseases ef Larynx and Trachea	16	4	12
	Emphysema, Asthma	162	104	58
	Bronchitis	1,929	1,045	884
	Pneumonia	1,837	1,129	708
	Pleurisy	147	95	52
	Other Diseases of Respiratory System	452	270	182
	Diseases of Digestive System.			
	Stomatitis	16	6	10
	Dentition	881	464	417
	Sore Throat, Quinsy	51	26	25
	Dyspepsia	24	16	8
	Hæmatemesis	17	12	5
	Melæna	4	4	—
	Disease of Stomach	212	109	103
	Enteritis	690	372	318
	Ulceration of Intestines	46	22	24
	Ileus, Obstruction of Intestines	117	72	45
	Stricture, or Strangulation of Intestines	23	17	6
	Intussusception of Intestines	43	24	19
	Hernia	107	61	46
	Fistula	1	—	1
	Peritonitis	342	167	175
	Ascites	33	16	17
	Gallstones	17	5	12
	Cirrhosls of Liver	197	119	78
	Other Diseases of Liver	544	303	241
	Other Diseases of Digestive System	137	83	54
	Diseases of Lymphatic System and Ductless Glands.			
	Diseases of Lymphatic System	14	12	2
	Diseases of Spleen	14	9	5
	Bronchocele	4	2	2
	Addison's Disease	3	2	1
	Diseases of Urinary System.			
	Acute Nephritis	104	64	40
	Bright's Disease	293	169	124
	Uræmia	49	18	31
	Suppression of Urine	9	8	1
	Calculus	18	14	4
	Hæmaturia	3	2	1
	Diseases of Bladder and Prostate	113	103	10
	Other Diseases of Urinary System	152	92	60
	Diseases of Organs of Generation.			
	Ovarian Disease	37	—	37
	Dieases of Uterus and Vagina	69	—	69
	Disorders of Menstruation	5	—	5
	Pelvic Abscess	3	—	3
	Diseases of Testes, Scrotum, &c.	1	1	—

No. 19.—*Return of the Total Number of Deaths, &c.*—continued.

Class.	Cause of Death.	Total.	Males.	Females.
	Diseases of Parturition.			
	Abortion, Miscarriage	20	—	20
	Puerperal Mania	15	—	15
	Puerperal Convulsions	50	—	50
	Placenta Prævia, Flooding	41	—	41
	Phlegmasia Dolens	7	—	7
	Other accidents of Childbirth	278	—	278
	Diseases of Organs of Locomotion.			
	Caries, Necrosis	36	25	11
	Arthritis, Ostitis, Periostitis	14	11	3
	Other Diseases of Organs of Locomotion	92	57	35
	Diseases of Integumentary System.			
	Carbuncle	11	6	5
	Phlegmon, Cellulitis	6	4	2
	Lupus	7	4	3
	Ulcer, Bedsore	27	12	15
	Eczema	19	13	6
	Pemphigus	5	2	3
	Other Diseases of Integumentary System	20	13	7
VII.	*Accident or Negligence.*			
	Fracture and contusion	817	712	105
	Gunshot Wounds	47	44	3
	Cut, Stab	9	9	—
	Burn, Scald	219	84	135
	Poison	53	36	17
	Drowning	501	428	73
	Suffocation	121	86	35
	Otherwise	162	128	34
	Homicide.			
	Murder, Manslaughter	40	27	13
	Suicide.			
	Gunshot Wounds	52	49	3
	Cut, Stab	54	44	10
	Poison	45	35	10
	Drowning	52	31	21
	Hanging	77	64	13
	Otherwise	3	2	1
	Execution.			
	Hanging	3	3	—
VIII.	*Ill-defined and Not Specified Causes.*			
	Dropsy	217	112	105
	Debility, Atrophy, Inanition	2,954	1,555	1,399
	Mortification	42	24	18
	Tumor	89	39	50
	Abscess	74	47	27
	Hæmorrhage	43	26	17
	Sudden (cause unascertained)	18	16	2
	Other Ill-defined and not Specified Causes	83	64	19

No. 20.—Births *and* Deaths *Registered in the Districts of the Province in* 1889.

Districts.	Births.			Deaths.		
	M.	F,	Total.	M.	F.	Total.
Adelaide	1,067	1,015	2,082	646	520	1,166
Hindmarsh	266	213	479	56	61	117
Port Adelaide	350	343	693	138	108	246
Norwood	505	480	985	175	152	327
Daly	452	451	903	155	115	270
Willunga	44	25	69	14	15	29
Yankalilla	48	38	86	6	6	12
Encounter Bay	29	41	70	23	9	32
Strathalbyn	90	86	176	23	21	44
Robe	54	42	96	15	8	23
Grey	177	188	365	40	49	89
Wellington	69	79	148	22	15	37
Morphett Vale	51	39	90	16	13	29
Mount Barker	45	48	93	8	9	17
Nairne	116	97	213	33	24	57
Talunga	108	111	219	25	15	40
Highercombe	35	31	66	9	8	17
Port Gawler	79	78	157	20	18	38
Crawiord	21	31	52	7	2	9
Barossa	129	126	255	46	44	90
Angaston	109	88	197	37	25	62
Kapunda	163	140	303	52	42	94
Gilbert	166	187	353	45	28	73
Burra	197	164	361	73	46	119
Clare	371	345	716	106	71	177
Upper Wakefield	44	38	82	12	6	18
Frome	446	458	904	143	97	240
Flinders	55	50	105	21	8	29